

supplement ANNUAL REPORT 2016



Royal Netherlands Institute for Sea Research

TABLE OF CONTENTS



PEER-REVIEWED PAPERS

1. Abdelmalak, M.M.; Meyer, R.; Planke, S.; Faleide, J.I.; Gernigon, L.; Frieling, J.; Sluijs, A.; Reichart, G.-J.; Zastrozhnov, D.; Theissen-Krah, S.; Said, A.; Myklebust, R. (2016). Pre-breakup magmatism on the Vexing Margin: Insight from new sub-basalt imaging and results from Ocean Drilling Program Hole 642E. *Tectonophysics* 675: 258–274. [dx.doi.org/10.1016/j.tecto.2016.02.037](https://doi.org/10.1016/j.tecto.2016.02.037)
2. Abrantes, F.; Cermeno, P.; Lopes, C.; Romero, O.; Rufino, M.; van Iperen, J.; Matos, L.; Magalhães, V. (2016). Diatoms Si uptake capacity drives carbon export in coastal upwelling systems. *Biogeosciences* 13: 4099–4109. [dx.doi.org/10.5194/bg-13-4099-2016](https://doi.org/10.5194/bg-13-4099-2016)
3. Adhitya, A.; Folkard, A.M.; Govers, L.L.; van Katwijk, M.M.; de Jongh, H.H.; Herman, P.M.J.; Bouma, T.J. (2016). The exchange of dissolved nutrients between the water column and substrate pore-water due to hydrodynamic adjustment at seagrass meadow edges: a flume study. *Limnol. Oceanogr.* 61(6): 2286–2295. <https://dx.doi.org/10.1002/lno.10376>
4. Adrián-Martínez, S.; van Haren, H.; KM3NeT Collaboration (2016). A method to stabilise the performance of negatively fed KM3NeT photomultipliers. *J. Instrum.* 11: 8 pp. [dx.doi.org/10.1088/1748-0221/11/12/P12014](https://doi.org/10.1088/1748-0221/11/12/P12014)
5. Adrian-Martinez, S.; van Haren, H.; ANTARES Collaboration; IceCube Collaboration (2016). First combined search for neutrino point-sources in the Southern Hemisphere with the ANTARES and IceCube neutrino telescopes. *Astrophys. J.* 823(1): article no. 65. [dx.doi.org/10.3847/0004-637X/823/1/65](https://doi.org/10.3847/0004-637X/823/1/65)
6. Adrian-Martinez, S.; van Haren, H.; ANTARES Collaboration; IceCube Collaboration; Ligo Scientific Collaboration; Virgo Collaboration (2016). High-energy Neutrino follow-up search of Gravitational Wave Event GW150914 with ANTARES and IceCube. *Phys. Rev. D Part. Fields* 93: 122010. [dx.doi.org/10.1103/PhysRevD.93.122010](https://doi.org/10.1103/PhysRevD.93.122010)
7. Adrián-Martínez, S.; van Haren, H.; KM3NeT Collaboration (2016). KM3NeT 2.0 Letter of intent for ARCA and ORCA. *Journal of Physics G-Nuclear and Particle Physics* 43(8): 084001. [dx.doi.org/10.1088/0954-3899/43/8/084001](https://doi.org/10.1088/0954-3899/43/8/084001)
8. Adrian-Martinez, S.; van Haren, H.; Antares Collaboration (2016). Optical and X-ray early follow-up of ANTARES neutrino alerts. *Journal of Cosmology and Astroparticle Physics* 2: 062. [dx.doi.org/10.1088/1475-7516/2016/02/062](https://doi.org/10.1088/1475-7516/2016/02/062)
9. Adrián-Martínez, S.; van Haren, H.; KM3NeT Collaboration (2016). The prototype detection unit of the KM3NeT detector. *Eur. Phys. J. C* 76: 54. [dx.doi.org/10.1140/epjc/s10052-015-3868-9](https://doi.org/10.1140/epjc/s10052-015-3868-9)
10. Adrian-Martinez, S.; van Haren, H. (2016). A search for Secluded Dark Matter in the Sun with the ANTARES neutrino telescope. *Journal of Cosmology and Astroparticle Physics* 2016: 1-12. [dx.doi.org/10.1088/1475-7516/2016/05/016](https://doi.org/10.1088/1475-7516/2016/05/016)
11. Adrián-Martínez, S.; van Haren, H. (2016). Constraints on the neutrino emission from the Galactic Ridge with the ANTARES telescope. *Phys. Lett. B* 760: 143-148. [dx.doi.org/10.1016/j.physletb.2016.06.051](https://doi.org/10.1016/j.physletb.2016.06.051)
12. Adrian-Martinez, S.; van Haren, H. (2016). Limits on dark matter annihilation in the sun using the ANTARES neutrino telescope. *Phys. Lett. B* 759: 69–74. [dx.doi.org/10.1016/j.physletb.2016.05.019](https://doi.org/10.1016/j.physletb.2016.05.019)



26. Best, M.M.R.; Favali, P.; Beranzoli, L.; Blandin, J.; Cagatay, N.M.; Cannat, M.; Dañobeitia, J.J.; Delory, E.; de Miranda, J.M.A.; Del Rio Fernandez, J.; De Stigter, H.; Gillooly, M.; Grant, F.; Hall, P.O.J.; Hartman, S.E.; Hernandez-Brito, J.; Lanteri, N.; Mienert, J.; Oaie, G.; Piera, J.; Radulescu, V.; Rolin, J.-F.; Ruhl, H.A.; Waldmann, C. (2016). The EMSO-ERIC Pan-European Consortium: Data Benefits and Lessons Learned as the Legal Entity Forms. *Mar. Technol. Soc. J.* 50(3): 8-15. [dx.doi.org/10.4031/MTSJ.50.3.13](https://doi.org/10.4031/MTSJ.50.3.13)
27. Bijleveld, A.I.; MacCurdy, R.B.; Chan, Y.-C.; Penning, E.; Gabrielson, R.M.; Cluderay, J.; Spaulding, E.L.; DeKinga, A.; Holthuisen, S.; Ten Horn, J.; Brugge, M.; van Gils, J.A.; Winkler, D.W.; Piersma, T. (2016). Understanding spatial distributions: negative density-dependence in prey causes predators to trade-off prey quantity with quality. *Proc. - Royal Soc., Biol. Sci.* 283: 1828. [dx.doi.org/10.1098/rspb.2015.1557](https://doi.org/10.1098/rspb.2015.1557)
28. Bochdansky, A.B.; Clouse, M.A.; Herndl, G. (2016). Dragon kings of the deep sea: marine particles deviate markedly from the common number-size spectrum. *NPG Scientific Reports* 6(22633): 7 pp. hdl.handle.net/10.1038/srep22633
29. Bokhorst, S.; Convey, P.; Huiskes, A.H.L.; Aerts, R. (2016). *Usnea antarctica*, an important Antarctic lichen, is vulnerable to aspects of regional environmental change. *Polar Biol.* 39(3): 511-521. [dx.doi.org/10.1007/s00300-015-1803-z](https://doi.org/10.1007/s00300-015-1803-z)
30. Booij, K.; Robinson, C.D.; Burgess, R.M.; Mayer, P.; Roberts, C.A.; Ahrens, L.; Allan, I.J.; Brant, J.; Jones, L.; Kraus, U.R.; Larsen, M.M.; Lepom, P.; Petersen, J.; Pröfrock, D.; Roose, P.; Schäfer, S.; Smedes, F.; Tixier, C.; Vorkamp, K.; Whitehouse, P. (2016). Passive sampling in regulatory chemical monitoring of nonpolar organic compounds in the aquatic environment. *Environ. Sci. Technol.* 50(1): 3-17. [dx.doi.org/10.1021/acs.est.5b04050](https://doi.org/10.1021/acs.est.5b04050)
31. Bordois, L.; Auclair, F.; Paci, A.; Dossmann, Y.; Gerkema, T.; Nguyen, C. (2016). Tidal energy redistribution among vertical modes in a fluid with a mid-depth pycnocline. *Phys. Fluids* 28(10): 101701. [dx.doi.org/10.1063/1.4964759](https://doi.org/10.1063/1.4964759)
32. Bougeois, L.; De Rafelis, M.; Reichart, G.-J.; de Nooijer, L.J.; Dupont-Nivet, G. (2016). Mg/Ca in fossil oyster shells as palaeotemperature proxy, an example from the Palaeogene of Central Asia. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 441(Part 4): 611–626. <https://dx.doi.org/10.1016/j.palaeo.2015.09.052>
33. Bouma, T.J.; van Belzen, J.; Balke, T.; van Dalen, J.; KLaassen, P.; Hartog, A.M.; Callaghan, D.P.; Hu, Z.; Stive, M.J.F.; Temmerman, S.; Herman, P.M.J. (2016). Short-term mudflat dynamics drive long-term cyclic salt marsh dynamics. *Limnol. Oceanogr.* 61(6): 2261-2275. <https://dx.doi.org/10.1002/lno.10374>
34. Brenner, H.; Braeckman, U.; Le Guitton, M.; Meysman, F.J.R. (2016). The impact of sedimentary alkalinity release on the water column CO₂ system in the North Sea. *Biogeosciences* 13(3): 841-863. [dx.doi.org/10.5194/bg-13-841-2016](https://doi.org/10.5194/bg-13-841-2016)
35. Bridgestock, L.; van de Flierdt, T.; Rehkämper, M.; Paul, P.; Middag, R.; Milne, A.; Lohan, M.C.; Baker, A.; Chance, R.; Khondoker, R.; Strekopytov, S.; Humphreys-Williams, E.; Achterberg, E.P.; Rijkenberg, M.J.A.; Gerringa, L.J.A.; De Baar, H.J.W. (2016). Return of naturally sourced Pb to Atlantic surface waters. *Nature Comm.* 7(12921): 12 pp. [dx.doi.org/10.1038/ncomms12921](https://doi.org/10.1038/ncomms12921)
36. Brouwer, G.M.; Duijnste, I.A.P.; Hazeleger, J.H.; Rossi, F.; Lourens, L.J.; Middelburg, J.J.; Wolthers, M. (2016). Diet shifts and population dynamics of estuarine foraminifera during ecosystem recovery after experimentally induced hypoxia crises. *Est., Coast. and Shelf Sci.* 170: 20-33. [dx.doi.org/10.1016/j.ecss.2015.12.015](https://doi.org/10.1016/j.ecss.2015.12.015)



48. Cadée, G.C. (2016). Decay rates of shells in aquatic and terrestrial habitats, some comments. *Basteria* 80(4-6): 193-194.
49. Cadée, G.C. (2016). Rolling Cockles: Shell Abrasion and Repair in a Living Bivalve *Cerastoderma edule* L. *Ichnos* 23(3-4): 180-188. [dx.doi.org/10.1080/10420940.2016.1164152](https://doi.org/10.1080/10420940.2016.1164152)
50. Capet, A.; Meysman, Filip; Akoumianaki, I.; Soetaert, K.; Grégoire, M. (2016). Integrating sediment biogeochemistry into 3D oceanic models: a study of benthic-pelagic coupling in the Black Sea. *Ocean Modelling* 101: 83-100. [dx.doi.org/10.1016/j.ocemod.2016.03.006](https://doi.org/10.1016/j.ocemod.2016.03.006)
51. Caprara, S.; Buck, K.N.; Gerringa, L.J.A.; Rijkenberg, M.J.A.; Monticelli, D. (2016). A Compilation of Iron Speciation Data for Open Oceanic Waters. *Front. Mar. Sci.* 3: 221. [dx.doi.org/10.3389/fmars.2016.00221](https://doi.org/10.3389/fmars.2016.00221)
52. Cardoso, J.F.M.F.; Freitas, V.; de Paoli, H.; Witte, J.I.J.; van der Veer, H.W. (2016). Growth conditions of 0-group plaice *Pleuronectes platessa* in the western Wadden Sea as revealed by otolith microstructure analysis. *J. Sea Res.* 111: 88-96. [dx.doi.org/10.1016/j.seares.2016.01.010](https://doi.org/10.1016/j.seares.2016.01.010)
53. Carnevale, G.F.; Kloosterziel, R.C.; Orlandi, P. (2016). Equilibration of centrifugally unstable vortices: A review. *Eur. J. Mech. B Fluids* 55(Part 2): 246–258. [dx.doi.org/10.1016/j.euro-mechflu.2015.06.007](https://doi.org/10.1016/j.euro-mechflu.2015.06.007)
54. Castañeda, I.S; Caley, T.; Dupont, L.; Kim, J.-H.; Malaizé, B.; Schouten, S. (2016). Middle to Late Pleistocene vegetation and climate change insubtropical southern East Africa. *Earth Planet. Sci. Lett.* 450: 306–316. [dx.doi.org/10.1016/j.epsl.2016.06.049](https://doi.org/10.1016/j.epsl.2016.06.049)
55. Castañeda, I.S; Schouten, S.; Paetzold, J.; Lucassen, F; Kasemann, S.; Kuhlmann, H.; Scheffuß, E. (2016). Hydroclimate variability in the Nile River Basin during the past 28,000 years. *Earth Planet. Sci. Lett.* 438: 47-56. [dx.doi.org/10.1016/j.epsl.2015.12.014](https://doi.org/10.1016/j.epsl.2015.12.014)
56. Catry, T.; Lourenco, P.M.; Lopes, R.J.; Carneiro, C.; Alves, J.A.; Costa, J.; Rguibi-Idrissi, H.; Bearhop, S.; Piersma, T.; Granadeiro, J.P. (2016). Structure and functioning of intertidal food webs along an avian flyway: a comparative approach using stable isotopes. *Funct. Ecol.* 30(3): 468–478. [dx.doi.org/10.1111/1365-2435.12506](https://doi.org/10.1111/1365-2435.12506)
57. Catry, T.; Lourenco, P.M.; Lopes, R.J.; Bocher, P.; Carneiro, C.; Alves, J.A.; Delaporte, P.; Bearhop, S.; Piersma, T.; Granadeiro, J.P. (2016). Use of stable isotope fingerprints to assign wintering origin and trace shorebird movements along the East Atlantic Flyway. *Basic appl. ecol. (Print)* 17(2): 177-187. [dx.doi.org/10.1016/j.baae.2015.10.005](https://doi.org/10.1016/j.baae.2015.10.005)
58. Chambord, S.; Maris, T.; Colas, F.; van Engeland, T.; Sossou, A.-C.; Azémar, F.; Le Coz, M.; Cox, T.; Buisson, L.; Souissi, S.; Meire, P.; Tackx, M. (2016). Mesozooplankton affinities in a recovering freshwater estuary. *Est., Coast. and Shelf Sci.* 177: 47-59. [dx.doi.org/10.1016/j.ecss.2016.04.016](https://doi.org/10.1016/j.ecss.2016.04.016)
59. Chan, Y.-C; Brugge, M.; Tibbitts, T.L.; Dekinga, A.; Porter, R.; Klaassen, R.H.G.; Piersma, T. (2016). Testing an attachment method for solar-powered tracking devices on a long-distance migrating shorebird. *J. Ornithol.* 157: 277–287. [dx.doi.org/10.1007/s10336-015-1276-4](https://doi.org/10.1007/s10336-015-1276-4)
60. Cimatoribus, A.; van Haren, H.; Gostiaux, L. (2016). A Procedure to Compensate for the Response Drift of a Large Set of Thermistors. *J. Atmos. Oceanic. Technol.* 33(7): 1485-1508. [dx.doi.org/10.1175/JTECH-D-15-0243.1](https://doi.org/10.1175/JTECH-D-15-0243.1)
61. Cimatoribus, A.; van Haren, H. (2016). Estimates of the temperature flux-temperature gradient relation above a sea floor. *J. Fluid Mech.* 793: 504- 523. [dx.doi.org/10.1017/jfm.2016.112](https://doi.org/10.1017/jfm.2016.112)

74. de Bar, M.W.; Dorhout, D.J.C.; Hopmans, E.C.; Rampen, S.W.; Sinninghe Damste, J.S.; Schouten, S. (2016). Constraints on the application of long chain diol proxies in the Iberian Atlantic margin. *Org. Geochem.* 10: 184–195. [dx.doi.org/10.1016/j.orggeochem.2016.09.005](https://doi.org/10.1016/j.orggeochem.2016.09.005)
75. De Corte, D.; Sintès, E.; Yokokawa, T.; Lekunberri, I.; Herndl, G. (2016). Large-scale distribution of microbial and viral populations in the South Atlantic Ocean. *Environmental Microbiology Reports* 8(2): 305–315. [dx.doi.org/10.1111/1758-2229.12381](https://doi.org/10.1111/1758-2229.12381)
76. de Fouw, J.; Bom, R.A.; Klaassen, R.H.G.; Müskens, G.J. D. M.; de Vries, P.P.; Popov, I.Y.; Kokorev, Y.I.; Ebbinge, B.S.; Nolet, B.A. (2016). Breeding in a den of thieves: pros and cons of nesting close to egg predators. *Ecosphere* 7(6): e01353. [dx.doi.org/10.1002/ecs2.1353](https://doi.org/10.1002/ecs2.1353)
77. de Fouw, J.; Govers, L.; van de Koppel, J.; van Belzen, J.; Dorigo, W.; Sidi Cheikh, M.A.; Christianen, M.J.A.; van der Reijden, K.J.; van der Geest, M.; Piersma, T.; Smolders, A.J.P.; Olf, H.; Lamers, L.P.M.; van Gils, J.A.; van der Heide, T. (2016). Drought, mutualism breakdown, and landscape-scale degradation of seagrass beds. *Curr. Biol.* 26(8): 1051–1056. <https://dx.doi.org/10.1016/j.cub.2016.02.023>
78. de Fouw, J.; van der Heide, T.; Oudman, T.; Maas, L.R.M.; Piersma, T.; van Gils, J.A. (2016). Structurally complex sea grass obstructs the sixth sense of a specialized avian molluscivore. *Anim. Behav.* 115: 55–67. [dx.doi.org/10.1016/j.anbehav.2016.02.017](https://doi.org/10.1016/j.anbehav.2016.02.017)
79. de Jager, C.; Akasofu, S.-I.; Duhau, S.; Livingston, W.C.; Nieuwenhuijzen, H.; Potgieter, M.S. (2016). A Remarkable Recent Transition in the Solar Dynamo. *Space Science Reviews* 201(1): 109–145. [dx.doi.org/10.1007/s11214-016-0293-9](https://doi.org/10.1007/s11214-016-0293-9)
80. de Jong, M.F.; Bower, A.S.; Furey, H.H. (2016). Seasonal and Interannual Variations of Irminger Ring Formation and Boundary–Interior Heat Exchange in FLAME. *J. Phys. Oceanogr.* 46: 1717–1731. [dx.doi.org/10.1175/JPO-D-15-0124.1](https://doi.org/10.1175/JPO-D-15-0124.1)
81. de Jong, M.F.; de Steur, L. (2016). Strong winter cooling over the Irminger Sea in winter 2014–2015, exceptional deep convection, and the emergence of anomalously low SST. *Geophys. Res. Lett.* 43: 7106–7113. [dx.doi.org/10.1002/2016GL069596](https://doi.org/10.1002/2016GL069596)
82. de Jonge, C.; Talbot, H.M.; Bischoff, J.; Cherkashov, G.; Sinninghe Damsté, J.S. (2016). Bacteriohopanepolyol distribution in Yenisei River and Kara Sea suspended particulate matter and sediments traces terrigenous organic matter input. *Geochim. Cosmochim. Acta* 174: 85–101. [dx.doi.org/10.1016/j.gca.2015.11.008](https://doi.org/10.1016/j.gca.2015.11.008)
83. de Jonge, C.; Stadnitskaia, Alina; Cherkashov, G.; Sinninghe Damsté, J.S. (2016). Branched glycerol dialkyl glycerol tetraethers and crenarchaeol record post-glacial sea level rise and shift in source of terrigenous brGDGTs in the Kara Sea (Arctic Ocean). *Org. Geochem.* 92: 42–54. [dx.doi.org/10.1016/j.orggeochem.2015.11.009](https://doi.org/10.1016/j.orggeochem.2015.11.009)
84. de los Santos, C.B.; Onoda, Y.; Vergara, J.J.; Perez-Llorens, J.L.; Bouma, T.J.; La Nafie, Y.A.; Cambridge, M.L.; Brun, F.G. (2016). A comprehensive analysis of mechanical and morphological traits in temperate and tropical seagrass species. *Mar. Ecol. Prog. Ser.* 551: 81–94. [dx.doi.org/10.3354/meps11717](https://doi.org/10.3354/meps11717)
85. de los Santos, C.B.; Vicencio-Rammsy, B.; Lepoint, G.; Remy, F.; Bouma, T.J.; Gobert, S. (2016). Ontogenic variation and effect of collection procedure on leaf biomechanical properties of Mediterranean seagrass *Posidonia oceanica* (L.) Delile. *Mar. Ecol. (Berl.)* 37(4): 750–759. <https://dx.doi.org/10.1111/maec.12340>
86. De Smet, B.; van Oevelen, D.; Vincx, M.; Vanaverbeke, J.; Soetaert, K. (2016). Lanice conchilega structures carbon flows in soft-bottom intertidal areas. *Mar. Ecol. Prog. Ser.* 552: 47–60. hdl.handle.net/10.3354/meps11747

99. Frank, A.H.; Pontiller, B.; Herndl, G.; Reinthaler, T. (2016). Erythromycin and GC7 fail as domain-specific inhibitors for bacterial and archaeal activity in the open ocean. *Aquat. Microb. Ecol.* 77: 99-110. [dx.doi.org/10.3354/ame01792](https://doi.org/10.3354/ame01792)
100. Freitas, V.; Witte, J.I.J.; Tulp, I.; van der Veer, H.W. (2016). Shifts in nursery habitat utilization by 0-group plaice in the western Dutch Wadden Sea. *J. Sea Res.* 111: 65-75. [dx.doi.org/10.1016/j.seares.2015.12.011](https://doi.org/10.1016/j.seares.2015.12.011)
101. Friese, C.A.; van der Does, M.; Merkel, U.; Iversen, M.H.; Fischer, G.; Stuut, J-B W. (2016). Environmental factors controlling the seasonal variability in particle sizedistribution of modern Saharan dust deposited off Cape Blanc. *Aeolian Research* 22: 165–179. [dx.doi.org/10.1016/j.aeolia.2016.04.005](https://doi.org/10.1016/j.aeolia.2016.04.005)
102. Galeotti, S.; DeConto, R.; Naish, T.; Stocchi, P.; Florindo, F.; Pagani, M.; Barrett, P.; Bohaty, S.M.; Lanci, L.; Pollard, D.; Sandroni, S.; Talarico, F.M.; Zachos, J.C. (2016). Antarctic Ice Sheet variability across the Eocene-Oligocene boundary climate transition. *Science (Wash.)* 352(6281): 76-80. hdl.handle.net/10.1126/science.aab0669
103. Geelhoed, J.; Henstra, A.M.; Stams, A.J.M. (2016). Carboxydrotrophic growth of *Geobacter sulfurreducens*. *Appl. Microbiol. Biotechnol.* 100: 997-1007. [dx.doi.org/10.1007/s00253-015-7033-z](https://doi.org/10.1007/s00253-015-7033-z)
104. Gerringa, L.J.A.; Rijkenberg, M.J.A.; Bown, J.; Margolin, A.R.; Laan, P.; De Baar, H.J.W. (2016). Fe-Binding Dissolved Organic Ligands in the Oxic and Suboxic Waters of the Black Sea. *Front. Mar. Sci.* 3: 84. <https://dx.doi.org/10.3389/fmars.2016.00084>
105. Gillis, L.G.; Zimmer, M.; Bouma, T.J. (2016). Mangrove leaf transportation : Do mimic Avicennia and Rhizophora roots retain or donate leaves? *Mar. Ecol. Prog. Ser.* 551: 107-115. [dx.doi.org/10.3354/meps11734](https://doi.org/10.3354/meps11734)
106. Glasl, B.; Herndl, G.; Frade, P.R. (2016). The microbiome of coral surface mucus has a key role in mediating holobiont health and survival upon disturbance. *ISME J.* 10: 2280–2292. [dx.doi.org/10.1038/ismej.2016.9](https://doi.org/10.1038/ismej.2016.9)
107. Goedknecht, M.A.; Feis, M.E.; Wegner, K.M.; Luttkhuizen, P.C.; Buschbaum, C.; Camphuysen, C.J.; Van der Meer, J.; Thielges, D.W. (2016). Parasites and marine invasions: Ecological and evolutionary perspectives. *J. Sea Res.* 113: 11–27. [dx.doi.org/10.1016/j.seares.2015.12.003](https://doi.org/10.1016/j.seares.2015.12.003)
108. Gollner, S.; Stuckas, H.; Kihara, T.C.; Kihara, S.; Kodami, S.; Martinez Arbizu, P. (2016). Mitochondrial DNA Analyses Indicate High Diversity, Expansive Population Growth and High Genetic Connectivity of Vent Copepods (Dirivultidae) across Different Oceans. *PLoS One* 11(10): e0163776. [dx.doi.org/10.1371/journal.pone.0163776](https://doi.org/10.1371/journal.pone.0163776)
- 109.
110. González-Ortiz, V.; Gonzalo Egea, L.; Jiménez-Ramos, R.; Moreno-Mar, F; Pérez Lloréns, J.L.; Bouma, T.J; Bruno, F. (2016). Submerged vegetation complexity modifies benthic infauna communities: the hidden role of the belowground system. *Mar. Ecol. (Berl.)* 37: 543–552. [dx.doi.org/10.1111/maec.12292](https://doi.org/10.1111/maec.12292)
111. Govers, L.; Man in 't Veld, W.A.; Meffert, J.P.; Bouma, T.J; van Rijswijk, P.C.; Heusinkveld, J.H.T.; Orth, R.J.; van Katwijk, M.M.; van der Heide, T. (2016). Marine Phytophthora species can hamper conservation and restoration of vegetated coastal ecosystems. *Proc. R. Soc. Lond. (Biol. Sci.)* 283(1837): 20160812. <https://dx.doi.org/10.1098/rspb.2016.0812>
112. Gräwe, U.; Flöser, G.; Gerkema, T.; Duran-Matute, M.; Badewien, T.H.; Schulz, E.; Burchard, H. (2016). A numerical model for the entire Wadden Sea: Skill assessment and analysis of hydrodynamics. *J. Geophys. Res. Oceans* 121: 5231-5251. [dx.doi.org/10.1002/2016JC011655](https://doi.org/10.1002/2016JC011655)

126. Johnson, T.C.; Werne, J.P.; Brown, E.T.; Abbott, A.; Berke, M.; Steinman, B.E.; Halbur, J.; Contreras, S.; Grosshuesch, S.; Deino, A.; Lyons, R.P.; Scholz, C.A.; Schouten, S.; Sinninghe Damsté, J.S. (2016). A progressively wetter climate in southern East Africa over the past 1.3 million years. *Nature (Lond.)* 537(7619): 220-224. [dx.doi.org/10.1038/nature19065](https://doi.org/10.1038/nature19065)
127. Jonkers, L.; Buse, B.; Brummer, G.-J. A.; Hall, I.R. (2016). Chamber formation leads to Mg/Ca banding in the planktonic foraminifer *Neogloboquadrina pachyderma*. *Earth Planet. Sci. Lett.* 451: 177–184. [dx.doi.org/10.1016/j.epsl.2016.07.030](https://doi.org/10.1016/j.epsl.2016.07.030)
128. Jung, M.Y.; Kim, J.G.; Sinninghe Damsté, J.S.; Rijpstra, W.I.C.; Madsen, E.L.; Kim, S.J.; Hong, H.; Si, O.-J.; Kerou, M.; Schleper, C.; Rhee, S.K. (2016). A hydrophobic ammonia-oxidizing archaeon of the Nitrosocosmicus clade isolated from coal tar-contaminated sediment. *Environmental Microbiology Reports* 8(6): 983–992. [dx.doi.org/10.1111/1758-2229.12477](https://doi.org/10.1111/1758-2229.12477)
129. Kaboth, S.; Bahr, A.; Reichart, G.-J.; Jacobs, B.; Lourens, L.J. (2016). New insights into upper MOW variability over the last 150 kyr from IODP 339 Site U1386 in the Gulf of Cadiz. *Mar. Geol.* 377: 136–145. [dx.doi.org/10.1016/j.margeo.2015.08.014](https://doi.org/10.1016/j.margeo.2015.08.014)
130. Kandiano, E.S.; Van der Meer, M.T.J.; Bauch, H.A.; Helmke, J.; Sinninghe Damsté, J.S.; Schouten, S. (2016). A cold and fresh ocean surface in the Nordic Seas during MIS 11: Significance for the future ocean. *Geophys. Res. Lett.* 43(20): 10,929–10,937. [dx.doi.org/10.1002/2016GL070294](https://doi.org/10.1002/2016GL070294)
131. Karagicheva, J.; Liebers, M.; Rakhimberdiev, E.; Hallinger, K.; Saveliev, A.; Winkler, D.W. (2016). Differences in size between first and replacement clutches match the seasonal decline in single clutches in Tree Swallows *Tachycineta bicolor*. *Ibis* 158: 607–613. [dx.doi.org/10.1111/ibi.12368](https://doi.org/10.1111/ibi.12368)
132. Karagicheva, J.; Rakhimberdiev, E.; Dekinga, A.; Brugge, M.; Koolhaas, A.; Ten Horn, J.; Piersma, T. (2016). Seasonal Time Keeping in a Long-Distance Migrating Shorebird. *J. Biol. Rhythms* 31(5): 509–521. [dx.doi.org/10.1177/0748730416655929](https://doi.org/10.1177/0748730416655929)
133. Kentie, R.; Senner, N.R.; Hooijmeijer, C.E.W.; Márquez-Fernando, R.; Figuerola, J.; Masero, J.A.; Verhoeven, M.A.; Piersma, T. (2016). Estimating the size of the Dutch breeding population of Continental Black-tailed Godwits from 2007–2015 using resighting data from spring staging sites. *Ardea* 104(3): 213-225. [dx.doi.org/10.5253/arde.v104i3.a7](https://doi.org/10.5253/arde.v104i3.a7)
134. Kim, J.G.; Park, S.J.; Sinninghe Damsté, J.S.; Schouten, S.; Rijpstra, W.I.C.; Jung, M.Y.; Kim, S.J.; Gwak, J.-H.; Hong, H.; Si, O.-J.; Lee, S.H.; Madsen, E.L.; Rhee, S.K. (2016). Hydrogen peroxide detoxification is a key mechanism for growth of ammonia-oxidizing archaea. *Proc. Natl. Acad. Sci. U.S.A.* 113(28): 7888–7893. [dx.doi.org/10.1073/pnas.1605501113](https://doi.org/10.1073/pnas.1605501113)
135. Kim, J.-H.; Villanueva, L.; Zell, C.; Sinninghe Damsté, J.S. (2016). Biological source and provenance of deep-water derived isoprenoid tetraether lipids along the Portuguese continental margin. *Geochim. Cosmochim. Acta* 172: 177–204. [dx.doi.org/10.1016/j.gca.2015.09.010](https://doi.org/10.1016/j.gca.2015.09.010)
136. Kulichevskaya, I.S.; Ivanova, A.; Suzina, N.E.; Rijpstra, W.I.C.; Sinninghe Damsté, J.S.; Dedysh, S.N. (2016). *Paludisphaera borealis* gen. nov., sp. nov., a hydrolytic planctomycete from northern wetlands, and proposal of *Isosphaeraceae* fam. nov. *Int. J. Syst. Evol. Microbiol.* 66: 837-844. [dx.doi.org/10.1099/ijsem.0.000799](https://doi.org/10.1099/ijsem.0.000799)
137. Küpper, C.; Stocks, M.; Risse, J.E.; dos Remedios, N.; Farrell, L.; McRae, S.B.; Morgan, T.C.; Karlionova, N.; Pinchuk, P.; Verkuil, Y.I.; Kitaysky, A.S.; Wingfield, J.C.; Piersma, T.; Zeng, K.; Slate, J.; Blaxter, M.; Lank, D.B.; Burke, T. (2016). A supergene determines highly divergent male reproductive morphs in the ruff. *Nature Gen.* 48(1): 79–83. [dx.doi.org/10.1038/ng.3443](https://doi.org/10.1038/ng.3443)

150. Lokmer, A.; Goedknecht, M.A.; Thielges, D.W.; Fiorentino, D.; Kuenzel, S.; Baines, J.F.; Wegner, K.M. (2016). Spatial and Temporal Dynamics of Pacific Oyster Hemolymph Microbiota across Multiple Scales. *Front. Microbiol.* 7: 1367. [dx.doi.org/10.3389/fmicb.2016.01367](https://doi.org/10.3389/fmicb.2016.01367)
151. Loonstra, A.H.J.; Piersma, T.; Reneerkens, J. (2016). Staging duration and passage population size of Sanderlings in the western Dutch Wadden Sea. *Ardea* 104(1): 49-62. [dx.doi.org/10.5253/arde.v104i1.a4](https://doi.org/10.5253/arde.v104i1.a4)
152. Lorenson, T.D.; Greinert, J.; Coffin, R.B. (2016). Dissolved methane in the Beaufort Sea and the Arctic Ocean, 1992–2009; sources and atmospheric flux. *Limnol. Oceanogr.* 61(S1): S300-S323. [dx.doi.org/10.1002/lno.10457](https://doi.org/10.1002/lno.10457)
153. Lourenço, P.M.; Catry, T.; Piersma, T.; Granadeiro, J.P. (2016). Comparative Feeding Ecology of Shorebirds Wintering at Banc d'Arguin, Mauritania. *Est. Coast.* 39(3): 855-865. [dx.doi.org/10.1007/s12237-015-0029-1](https://doi.org/10.1007/s12237-015-0029-1)
154. Lüke, C.; Speth, D.R.; Kox, M.A.R.; Villanueva, L.; Jetten, M.S.M. (2016). Metagenomic analysis of nitrogen and methane cycling in the Arabian Sea oxygen minimum zone. *PeerJ* 4: e1924. [dx.doi.org/10.7717/peerj.1924](https://doi.org/10.7717/peerj.1924)
155. Luo, M.; Dale, A. W.; Haffert, L.; Haeckel, M.; Koch, S.; Crutchley, G.; De Stigter, H.; Chen, D.; Greinert, J. (2016). A quantitative assessment of methane cycling in Hikurangi Margin sediments (New Zealand) using geophysical imaging and biogeochemical modeling. *Geochim. Geophys. Geosyst.* 17: 4817–4835. [dx.doi.org/10.1002/2016GC006643](https://doi.org/10.1002/2016GC006643)
156. Lyashevskaya, O.; Brus, D.J.; Van der Meer, J. (2016). Grid-spacing and the quality of abundance maps for species that show spatial autocorrelation and zero-inflation. *Spatial Statistics* 18(Part B): 386–395. [dx.doi.org/10.1016/j.spasta.2016.08.001](https://doi.org/10.1016/j.spasta.2016.08.001)
157. Lyashevskaya, O.; Brus, D.J.; Van der Meer, J. (2016). Mapping species abundance by a spatial zero-inflated Poisson model: a case study in the Wadden Sea, the Netherlands. *Ecol. Evol.* 6(2): 532-543. [dx.doi.org/10.1002/ece3.1880](https://doi.org/10.1002/ece3.1880)
158. Maat, D.; Bale, N.J.; Hopmans, E.C.; Sinninghe Damsté, J.S.; Schouten, S.; Brussaard, C.P.D. (2016). Increasing P limitation and viral infection impact lipid remodeling of the picoplankton *Micromonas pusilla*. *Biogeosciences* 13: 1667-1676. [dx.doi.org/10.5194/bg-13-1667-2016](https://doi.org/10.5194/bg-13-1667-2016)
159. Maat, D.S.; de Blok, R.; Brussaard, C.P.D. (2016). Combined Phosphorus Limitation and Light Stress Prevent Viral Proliferation in the Phytoplankton Species *Phaeocystis globosa*, but Not in *Micromonas pusilla*. *Front. Mar. Sci.* 3: 160. [dx.doi.org/10.3389/fmars.2016.00160](https://doi.org/10.3389/fmars.2016.00160)
160. Maat, D.S.; van Bleijswijk, J.D.L.; Witte, H.J.; Brussaard, C.P.D. (2016). Virus production in phosphorus-limited *Micromonas pusilla* stimulated by a supply of naturally low concentrations of different phosphorus sources, far into the lytic cycle. *FEMS Microbiol. Ecol.* 92: fiw136. [dx.doi.org/10.1093/femsec/fiw136](https://doi.org/10.1093/femsec/fiw136)
161. Maat, D.S.; Brussaard, C.P.D. (2016). Both phosphorus- and nitrogen limitation constrain viral proliferation in marine phytoplankton. *Aquat. Microb. Ecol.* 77(2): 87-97. [dx.doi.org/10.3354/ame01791](https://doi.org/10.3354/ame01791)
162. Mann, T.; Rovere, A.; Schöne, T.; Klicpera, A.; Stocchi, P.; Lukman, M.; Westphal, H. (2016). The magnitude of a mid-Holocene sea-level highstand in the Strait of Makassar. *Geomorphology (Amst.)* 257: 155–163. [dx.doi.org/10.1016/j.geomorph.2015.12.023](https://doi.org/10.1016/j.geomorph.2015.12.023)
163. Mao, J.; Nierop, K.G.J.; Rietkerk, M.; Sinninghe Damsté, J.S.; Dekker, S.C. (2016). The influence of vegetation on soil water repellency-markers and soil hydrophobicity. *Sci. Total Environ.* 566-567: 608-620. [dx.doi.org/10.1016/j.scitotenv.2016.05.077](https://doi.org/10.1016/j.scitotenv.2016.05.077)

176. Oshkin, I.Y.; Belova, S.E.; Danilova, O.V.; Miroshnikov, K.K.; Rijpstra, W.I.C.; Sinninghe Damsté, J.S.; Liesack, W.; Dedysh, S.N. (2016). *Methylovulum psychrotolerans* sp. nov., a cold-adapted methanotroph from low-temperature terrestrial environments and emended description of the genus *Methylovulum*. *Int. J. Syst. Evol. Microbiol.* 66: 2417-2423. dx.doi.org/10.1099/ijsem.0.001046
- 177.
178. Oudman, T.; Bijleveld, A.I.; Kavelaars, M.M.; Dekinga, A.; Cluderay, J.; Piersma, T.; van Gils, J.A. (2016). Diet preferences as the cause of individual differences rather than the consequence. *J. Anim. Ecol.* 85(5): 1378-1388. <https://dx.doi.org/10.1111/1365-2656.12549>
179. Painter, S.C.; Hartman, S.E.; Kivimäe, C.; Salt, L.A.; Clargo, N.M.; Bozec, Y.; Daniels, C.J.; Jones, S.C.; Hemsley, V.S.; Munns, L.R.; Allen, S.R. (2016). Carbon exchange between a shelf sea and the ocean: The Hebrides Shelf, west of Scotland. *Journal of Geophysical Research-Oceans* 121: 4522–4544. dx.doi.org/10.1002/2015JC011599
180. Pascal, P.-Y.; Gros, O.; Boschker, H.T.S. (2016). Temporal fluctuations in the trophic role of large benthic sulfur bacteria in mangrove sediment. *Food Webs* 7: 20-28. dx.doi.org/10.1016/j.fooweb.2016.04.001
181. Paul, M.; Rupprecht, F.; Möller, I.; Bouma, T.J.; Spencer, T.; Kudella, M.; Wolters, G.; van Wesenbeeck, B.K.; Jensen, K.; Miranda-Lange, M.; Schimmels, S. (2016). Plant stiffness and biomass as drivers for drag forces under extreme wave loading: A flume study on mimics. *Coast. Eng.* 117. dx.doi.org/10.1016/j.coastaleng.2016.07.004
182. Petersen, J.M.; Kemper, A.; Gruber-Vodicka, H.R.; Cardini, U.; van der Geest, M.; Kleiner, M.; Bulgheresi, S.; Mußmann, M.; Herbold, C.W.; Seah, B.K.B.; Antony, C.P.; Liu, D.; Belitz, A.; Weber, M. (2016). Chemosynthetic symbionts of marine invertebrate animals are capable of nitrogen fixation. *Nature Microbiology* 2016: 16195. dx.doi.org/10.1038/NMICROBIOL.2016.195
183. Pham Van, C.; Gourgue, O.; Sassi, M.; Hoitink, A.J.F.; Deleersnijder, E.; Soares-Frazao, S. (2016). Modelling fine-grained sediment transport in the Mahakam land–sea continuum, Indonesia. *J. Hydro-environ. Res.* 13: 103-120. dx.doi.org/10.1016/j.jher.2015.04.005
184. Pham Van, C.; de Brye, B.; Deleersnijder, E.; Hoitink, A.J.F.; Sassi, M.G.; Spinewine, B.; Hidayat, H.; Soares-Frazao, S. (2016). Simulations of the flow in the Mahakam river-lake-delta system, Indonesia. *Environ. Fluid Mech.* 16(3): 603-633. dx.doi.org/10.1007/s10652-016-9445-4
185. Piersma, T.; Lok, T.; Chen, Y.; Hassell, C.J.; Yang, H.-Y.; Boyle, A.; Slaymaker, M.; Chan, Y.-C.; Melville, D.S.; Zhang, Z.W.; Ma, Z. (2016). Simultaneous declines in summer survival of three shorebird species signals a flyway at risk. *J. Appl. Ecol.* 53: 479-490. dx.doi.org/10.1111/1365-2664.12582
186. Piquet, A.M.-T.; Maat, D.S.; Confurius-Guns, V.; Sintes, E.; Herndl, G.; van de Poll, W.H.; Wiencke, C.; Buma, A.G.J.; Bolhuis, H. (2016). Springtime dynamics, productivity and activity of prokaryotes in two Arctic fjords. *Polar Biol.* 39: 1749–1763. dx.doi.org/10.1007/s00300-015-1866-x
187. Ponsoni, L.; Aguiar-González, B.; Ridderinkhof, H.; Maas, L. (2016). The East Madagascar Current: Volume Transport and Variability Based on Long-Term Observations. *J. Phys. Oceanogr.* 46: 1045-1065. dx.doi.org/10.1175/JPO-D-15-0154.1
188. Porter, T.J.; Froese, D.G.; Feakins, S.J.; Bindeman, I.N.; Mahony, M.E.; Pautler, B.G.; Reichart, G.-J.; Sanborn, P.T.; Simpson, M.J.; Weijers, J.W.H. (2016). Multiple water isotope proxy reconstruction of extremely low last glacial temperatures in Eastern Beringia (Western Arctic). *Quat. Sci. Rev.* 137: 113–125. dx.doi.org/10.1016/j.quascirev.2016.02.006

202. Rovere, A.; Raymo, M.E.; Vacchi, M.; Lorscheid, T; Stocchi, P.; Gómez-Pujolf, L.; Harris, D.L.; Casella, E.; O'Leary, M.J.; Hearty, P.J. (2016). The analysis of Last Interglacial (MIS 5e) relative sea-level indicators: Reconstructing sea-level in a warmer world. *Earth-Sci. Rev.* 159: 404–427. [dx.doi.org/10.1016/j.earscirev.2016.06.006](https://doi.org/10.1016/j.earscirev.2016.06.006)
203. Rovere, A.; Stocchi, P.; Vacchi, M. (2016). Eustatic and Relative Sea Level Changes. *Current Climate Change Reports* 2(4): 221–231. [dx.doi.org/10.1007/s40641-016-0045-7](https://doi.org/10.1007/s40641-016-0045-7)
204. Rutgers van der Loeff, M.; Venchiarutti, C.; Stimac, I.; van Ooijen, J.; Huhn, O.; Rohardt, G.; Strass, V.H. (2016). Meridional circulation across the Antarctic Circumpolar Current serves as a double 231Pa and 230Th trap. *Earth Planet. Sci. Lett.* 455: 73-84. [https://dx.doi.org/10.1016/j.epsl.2016.07.027](https://doi.org/10.1016/j.epsl.2016.07.027)
205. Salamanca Villegas, S.; van Soelen, E.; Teunissen van Manen, M.L.; Flantua, S.G.A.; Santos, R.V.; Roddaz, M.; Dantas, E.L.; van Loon, E.; Sinninghe Damsté, J.S.; Kim, J.-H.; Hoorn, C. (2016). Amazon forest dynamics under changing abiotic conditions in the early Miocene (Colombian Amazonia). *J. Biogeogr.* 43(12): 2424–2437. [dx.doi.org/10.1111/jbi.12769](https://doi.org/10.1111/jbi.12769)
206. Salt, S.; Thomas, H.; Bozec, Y.; Borges, A.V.; de Baar, H.J.W (2016). The internal consistency of the North Sea carbonate system. *J. Mar. Syst.* 157: 52-64. [dx.doi.org/10.1016/j.jmarsys.2015.11.008](https://doi.org/10.1016/j.jmarsys.2015.11.008)
207. Sassi, M.G.; Gerkema, T.; Duran-Matute, M.; Nauw, J.J. (2016). Residual water transport in the Marsdiep tidal inlet inferred from observations and a numerical model. *J. Mar. Res.* 74(1): 21–42. [dx.doi.org/10.1357/002224016818377586](https://doi.org/10.1357/002224016818377586)
208. Schmaltz, L.E.; Vega, M.L.; Verkuil, Y.I.; Hooijmeijer, C.E.W.; Piersma, T. (2016). Use of agricultural fields by Ruffs staging in southwest Friesland in 2003–2013. *Ardea* 104(1): 23-32. [dx.doi.org/10.5253/arde.v104i1.a2](https://doi.org/10.5253/arde.v104i1.a2)
209. Schwarz, C.; Ysebaert, T.; Vandenbruwaene, W.; Temmerman, S.; Zhang, L.; Herman, P. (2016). On the potential of plant species invasion influencing bio-geomorphologic landscape formation in salt marshes. *Earth Surf. Process. Landforms* 41(14): 2047-2057. [https://dx.doi.org/10.1002/esp.3971](https://doi.org/10.1002/esp.3971)
210. Sciscio, L.; Tsikos, H.; Roberts, D.L.; Scott, L.; van Breugel, Y.; Sinninghe Damsté, J.S.; Schouten, S.; Grocke, D.R. (2016). Miocene climate and vegetation changes in the Cape Peninsula, South Africa: Evidence from biogeochemistry and palynology. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 445: 124-137. [dx.doi.org/10.1016/j.palaeo.2015.12.014](https://doi.org/10.1016/j.palaeo.2015.12.014)
211. Shamoun-Baranes, J.; Bouten, W.; van Loon, E.E.; Meijer, C.; Camphuysen, C.J. (2016). Flap or soar? How a flight generalist responds to its aerial environment. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 371(1704): 20150395. [dx.doi.org/10.1098/rstb.2015.0395](https://doi.org/10.1098/rstb.2015.0395)
212. Silinski, A.; Heuner, M.; Troch, P.; Puijalon, S.; Bouma, T.J.; Schoelynck, J.; Schröder, U.; Fuchs, E.; Meire, P.; Temmerman, S. (2016). Effects of contrasting wave conditions on scour and drag on pioneer tidal marsh plants. *Geomorphology (Amst.)* 255: 49-62. [dx.doi.org/10.1016/j.geomorph.2015.11.021](https://doi.org/10.1016/j.geomorph.2015.11.021)
213. Silinski, A.; van Belzen, J.; Fransen, E.; Bouma, T.J; Troch, P.; Meire, P.; Temmerman, S. (2016). Quantifying critical conditions for seaward expansion of tidal marshes: a transplantation experiment. *Est., Coast. and Shelf Sci.* 169: 227-237. [dx.doi.org/10.1016/j.ecss.2015.12.012](https://doi.org/10.1016/j.ecss.2015.12.012)
214. Silinski, A.; Fransen, E.; Bouma, T.J; Meire, P.; Temmerman, S. (2016). Unravelling the controls of lateral expansion and elevation change of pioneer tidal marshes. *Geomorphology (Amst.)* 274: 106-115. [dx.doi.org/10.1016/j.geomorph.2016.09.006](https://doi.org/10.1016/j.geomorph.2016.09.006)



227. Sulu-Gambari, F.; Seitaj, D.; Behrends, T.; Banerjee, D.; Meysman, F.J.R.; Slomp, C.P. (2016). Impact of cable bacteria on sedimentary iron and manganese dynamics in a seasonally-hypoxic marine basin. *Geochim. Cosmochim. Acta* 192: 49-69. <https://dx.doi.org/10.1016/j.gca.2016.07.028>
228. Suykerbuyk, W.; Bouma, T.J.; Govers, L.L.; Giesen, K.; de Jong, D.J.; Herman, P.M.J.; Hendriks, J.; van Katwijk, M.M. (2016). Surviving in Changing Seascapes: Sediment Dynamics as Bottleneck for Long-Term Seagrass Presence. *Ecosystems* 19(2): 296-310. dx.doi.org/10.1007/s10021-015-9932-3
229. Suykerbuyk, W.; Govers, L.L.; Bouma, T.J.; Giesen, W.B.J.T.; de Jong, D.J.; van de Voort, R.; Giesen, K.; Giesen, P.T.; van Katwijk, M.M. (2016). Unpredictability in seagrass restoration: analysing the role of positive feedback and environmental stress on *Zostera noltii* transplants. *J. Appl. Ecol.* 53: 774–784. dx.doi.org/10.1111/1365-2664.12614
230. Svensson, E.; Schouten, S.; Hopmans, E.C.; Middelburg, J.J.; Sinninghe Damsté, J.S. (2016). Factors Controlling the Stable Nitrogen Isotopic Composition ($\delta^{15}\text{N}$) of Lipids in Marine Animals. *PLoS One* 11(1): e0146321. dx.doi.org/10.1371/journal.pone.0146321
231. Sweere, T.; Van den Boorn, S.; Dickson, A.J.; Reichart, G.-J. (2016). Definition of new trace-metal proxies for the controls on organic matter enrichment in marine sediments based on Mn, Co, Mo and Cd concentrations. *Chem. Geol.* 441: 235–245. dx.doi.org/10.1016/j.chemgeo.2016.08.028
232. Sweetman, A.K.; Chelsky, A.; Pitt, K.A.; Andrade, H.; Van Oevelen, D.; Renaud, P.E. (2016). Jellyfish decomposition at the seafloor rapidly alters biogeochemical cycling and carbon flow through benthic food-webs. *Limnol. Oceanogr.* 61(4): 1449–1461. dx.doi.org/10.1002/lno.10310
233. Tadonl  k  , R.D.; Pollet, T.; van Rijswijk, P.; Leberre, B.; Middelburg, J.J. (2016). Effects of oxygen loss on carbon processing and heterotrophic prokaryotes from an estuarine ecosystem: results from stable isotope probing and cytometry analyses. *Est. Coast.* 39(4): 992-1005. dx.doi.org/10.1007/s12237-015-0053-1
234. Thieltges, D.W.; Poulin, R. (2016). Food-web-based comparison of the drivers of helminth parasite species richness in coastal fish and bird definitive hosts. *Mar. Ecol. Prog. Ser.* 545: 9-19. dx.doi.org/10.3354/meps11588
235. Toussaint, A.; Beauchard, O.; Oberdorff, T.; Brosse, S.; Vill  ger, S. (2016). Worldwide freshwater fish homogenization is driven by a few widespread non-native species. *Biological Invasions* 18(5): 1295-1304. dx.doi.org/10.1007/s10530-016-1067-8
236. Towner, A.V.; Leos-Barajas, V.; Langrock, R.; Schick, R.S.; Smale, M.J.; Kaschke, T.; Jewell, O.J.W.; Papastamatiou, Y.P. (2016). Sex-specific and individual preferences for hunting strategies in white sharks. *Funct. Ecol.* 30(8): 1397–1407. dx.doi.org/10.1111/1365-2435.12613
237. Ulses, C.; Auger, P.-A.; Soetaert, K.; Marsaleix, P.; Diaz, F.; Coppola, L.; Herrmann, M.J.; Kessouri, F.; Estournel, C. (2016). Budget of organic carbon in the North-Western Mediterranean open sea over the period 2004–2008 using 3-D coupled physical-biogeochemical modeling. *J. Geophys. Res. Oceans* 121(9): 7026–7055. dx.doi.org/10.1002/2016JC011818
238. Valente, A.; Wernand, M.R. (2016). A compilation of global bio-optical in situ data for ocean-colour satellite applications. *ESSD* 8: 235-252. dx.doi.org/10.5194/essd-8-235-2016
239. van Bree, L.G.J.; Rijpstra, W.I.C.; Al-Dhabi, N.A.; Verschuren, D.; Sinninghe Damst  , J.S.; de Leeuw, J.W. (2016). Des-A-lupane in an East African lake sedimentary record as a new proxy for the stable carbon isotopic composition of C3 plants. *Org. Geochem.* 101: 132–139. dx.doi.org/10.1016/j.orggeochem.2016.09.003

253. van Haren, H.; Cimatoribus, A.; Cyr, F.; Gostiaux, L. (2016). Insights from a 3-D temperature sensors mooring on stratified ocean turbulence. *Geophys. Res. Lett.* 43: 4483-4489. [dx.doi.org/10.1002/2016GL068032](https://doi.org/10.1002/2016GL068032)
254. van Haren, H.; Gostiaux, L. (2016). Convective mixing by internal waves in the Puerto Rico Trench. *J. Mar. Res.* 74(3): 161-173. [dx.doi.org/10.1357/002224016819594809](https://doi.org/10.1357/002224016819594809)
255. van Haren, H.; Greinert, J. (2016). Turbulent high-latitude oceanic intrusions—details of non-smooth apparent isopycnal transport West of Svalbard. *Ocean Dynamics* 66: 785–794. [dx.doi.org/10.1007/s10236-016-0955-x](https://doi.org/10.1007/s10236-016-0955-x)
256. van Haren, H.; Laan, M (2016). An in-situ experiment identifying flow effects on temperature measurements using a pumped CTD in weakly stratified waters. *Deep-Sea Res., Part 1, Oceanogr. Res. Pap.* 111: 11-15. [dx.doi.org/10.1016/j.dsr.2016.02.006](https://doi.org/10.1016/j.dsr.2016.02.006)
257. van Haren, H. (2016). Do deep-ocean kinetic energy spectra represent deterministic or stochastic signals? *J. Geophys. Res.* 121: 240-251. [dx.doi.org/10.1002/2015JC011204](https://doi.org/10.1002/2015JC011204)
258. van Helmond, N.A.G.M.; Sluijs, A.; Papadomanolaki, N.M.; Plint, A.G.; Gröcke, D.R.; Pearce, A.; Eldrett, J.S.; Trabucho-Alexandre, J.; Walaszczyk, I.; van de Schootbrugge, B.; Brinkhuis, H. (2016). Equatorward phytoplankton migration during a cold spell within the Late Cretaceous super-greenhouse. *Biogeosciences* 13: 2859–2872. [dx.doi.org/10.5194/bg-13-2859-2016](https://doi.org/10.5194/bg-13-2859-2016)
259. Van Oevelen, D.; Mueller, C.E.; Lundälv, T.; Middelburg, J.J. (2016). Food selectivity and processing by the cold-water coral *Lophelia pertusa*. *Biogeosciences* 13: 5789–5798. [dx.doi.org/10.5194/bg-13-5789-2016](https://doi.org/10.5194/bg-13-5789-2016)
260. van Soelen, E.; Ohkouchi, N.; Suga, H.; Sinninghe Damsté, J.S.; Reichert, G.-J. (2016). A late Holocene molecular hydrogen isotope record of the East Asian Summer Monsoon in Southwest Japan. *Quatern. Res.* 86(3): 287–294. [dx.doi.org/10.1016/j.yqres.2016.07.005](https://doi.org/10.1016/j.yqres.2016.07.005)
261. van Tussenbroek, B.I.; van Katwijk, M.M.; Bouma, T.J.; van der Heide, T.; Govers, L.L.; Leuven, R.S.E.W. (2016). Non-native seagrass *Halophila stipulacea* forms dense mats under eutrophic conditions in the Caribbean. *J. Sea Res.* 115: 1-5. [dx.doi.org/10.1016/j.seares.2016.05.005](https://doi.org/10.1016/j.seares.2016.05.005)
262. van Tussenbroek, B.I.; Soissons, L.M.; Bouma, T.J; Asmus, R.; Aubey, I.; Brun, F.G.; Cardoso, P.G.; Desroy, N.; Fournier, J.; Ganthu, F.; Garmendia, J.M.; Godet, L.; Grilo, T.F.; Kadel, P.; Ondiviela, B.; Peralta, G.; Recio, M.; Valle, M.; van der Heide, T.; van Katwijk, M.M. (2016). Pollen limitation may be a common Allee effect in marine hydrophilous plants: implications for decline and recovery in seagrasses. *Oecologia* 182(2): 595–609. [dx.doi.org/10.1007/s00442-016-3665-7](https://doi.org/10.1007/s00442-016-3665-7)
263. van Walraven, L.; Driessen, F.; van Bleijswijk, J.; Bol, A.; Luttkhuizen, P.C.; Coolen, J.; Bos, O.G.; Gittenberger, A.; Schrieken, N.; Langenberg, V.T.; van der Veer, H.W. (2016). Where are the polyps? Molecular identification, distribution and population differentiation of *Aurelia aurita* jellyfish polyps in the southern North Sea area. *Mar. Biol. (Berl.)* 163: 172. [dx.doi.org/10.1007/s00227-016-2945-4](https://doi.org/10.1007/s00227-016-2945-4)
264. Vance, D.; Little, S.H.; Archer, C.; Cameron, V.; Anderson, M.B.; Rijkenberg, M.J.A.; Lyons, T.W. (2016). The oceanic budgets of nickel and zinc isotopes: the importance of sulfidic environments as illustrated by the Black Sea. *Philos. Trans. - Royal Soc., Math. Phys. Eng. Sci.* 374(2081). [dx.doi.org/10.1098/rsta.2015.0294](https://doi.org/10.1098/rsta.2015.0294)
265. Vasquez Cardenas, D.; Organo Quintana, C.; Meysman, F.J.R.; Kristensen, E.; Boschker, H.T.S. (2016). Species-specific effects of two bioturbating polychaetes on sediment chemoautotrophic bacteria. *Mar. Ecol. Prog. Ser.* 549: 55-68. [dx.doi.org/10.3354/meps11679](https://doi.org/10.3354/meps11679)



278. Wigington, C.H.; Sonderegger, D.; Brussaard, C.P.D.; Buchan, A.; Finke, J.F.; Fuhrman, J.A.; Lennon, J.T.; Middelboe, M.; Suttle, C.A.; Stock, C.; Wilson, W.H.; Wommack, K.E.; Wilhelm, S.W.; Weitz, J.S. (2016). Re-examination of the relationship between marine virus and microbial cell abundances. *Nature Microbiology* 1: 15024. <https://dx.doi.org/10.1038/NMICROBIOL.2015.24>
279. Wolters, J.-W.; Gillis, L.G.; Bouma, T.J.; van Katwijk, M.M.; Ziegler, A.D. (2016). Land use effects on mangrove nutrient status in Phang Nga Bay, Thailand. *Land Degradation & Development* 27(1): 68-76. <https://dx.doi.org/10.1002/ldr.2430>
280. Woulds, C.; Bouillon, S.; Cowie, G.L.; Drake, E.; Middelburg, J.J.; Witte, U. (2016). Patterns of carbon processing at the seafloor: the role of faunal and microbial communities in moderating carbon flows. *Biogeosciences* 13(15): 4343-4357. <https://dx.doi.org/10.5194/bg-2016-14>
281. Xiao, D.; Zhang, C.; Zhang, L.; Zhu, Z.; Tian, K.; Gao, W. (2016). Seed dispersal capacity and post-dispersal fate of the invasive *Spartina alterniflora* in saltmarshes of the Yangtze Estuary. *Est., Coast. and Shelf Sci.* 169: 158–163. dx.doi.org/10.1016/j.ecss.2015.11.032
282. Yang, H-Y; Chen, B.; Piersma, T.; Zhang, Z.; Ding, C. (2016). Molluscs of an intertidal soft-sediment area in China: Does overfishing explain a high density but low diversity community that benefits staging shorebirds? *J. Sea Res.* 109: 20-28. dx.doi.org/10.1016/j.seares.2016.01.006
283. Yasunaka, S.; Murata, A.; Watanabe, E.; Chierici, M.; Fransson, A.; van Heuven, S.; Hoppema, M.; Ishii, M.; Johannessen, T.; Kosugi, N.; Lauvset, S.K.; Mathis, J.T.; Nishino, S.; Omar, A.M.; Olsen, A.; Sasano, D.; Takahashi, T.; Wanninkhof, R. (2016). Mapping of the air-sea CO₂ flux in the Arctic Ocean and its adjacent seas: Basin-wide distribution and seasonal to interannual variability. *Polar Science* 10(3): 323–334. dx.doi.org/10.1016/j.polar.2016.03.006
284. Yevenes, M.A.; Soetaert, K.; Mannaerts, C.M. (2016). Tracing Nitrate-Nitrogen Sources and Modifications in a Stream Impacted by Various Land Uses, South Portugal. *Water* 8(9): 385. dx.doi.org/10.3390/w8090385
285. Ysebaert, T.; van der Hoek, D.-J.; Wortelboer, R.; Wijsman, J.W.M.; Tangelder, M.; Nolte, A. (2016). Management options for restoring estuarine dynamics and implications for ecosystems: a quantitative approach for the Southwest Delta in the Netherlands. *Ocean Coast. Manag.* 121: 33-48. hdl.handle.net/10.1016/j.ocecoaman.2015.11.005
286. Yu, J.; Maas, L.R.M. (2016). Linear waves in two-layer fluids over periodic bottoms. *J. Fluid Mech.* 794: 700-718. dx.doi.org/10.1017/jfm.2016.198
287. Zetsche, E.-M.; El Mallahi, A.; Meysman, F.J.R. (2016). Digital holographic microscopy: a novel tool to study the morphology, physiology and ecology of diatoms. *Diatom Research* 31(1): 1-16. dx.doi.org/10.1080/0269249X.2016.1140679
288. Zetsche, E.-M.; Baussant, T.; Van Oevelen, D. (2016). Ciliary removal of particles by the cold-water coral *Lophelia pertusa*. *Reef Encounter* 31(1): 53-56
289. Zetsche, E.-M.; Baussant, T.; Meysman, F.J.R.; Van Oevelen, D. (2016). Direct visualization of mucus production by the cold-water coral *Lophelia pertusa* with digital holographic microscopy. *PLoS One* 11(2): e0146766. dx.doi.org/10.1371/journal.pone.0146766
290. Zhu, Z.; Cozzoli, F.; Chu, N.; Salvador, M.; Ysebaert, T.; Zhang, L.; Herman, P.M.J.; Bouma, T.J. (2016). Interactive effects between physical forces and ecosystem engineers on seed burial: a case study using *Spartina anglica*. *Oikos (Kbh.)* 125(1): 98-106. hdl.handle.net/10.1111/oik.02340

CHAPTERS IN BOOKS

1. Bolhuis, H.; Cretoiu, M.S. (2016). What is so Special About Marine Microorganisms? Introduction to the Marine Microbiome—From Diversity to Biotechnological Potential, in: Stal, L.J. et al. (Ed.) The marine microbiome. An untapped source of biodiversity and biotechnological potential. pp. 3-20. [dx.doi.org/10.1007/978-3-319-33000-6_1](https://doi.org/10.1007/978-3-319-33000-6_1)
2. Brussaard, C.P.D.; Baudoux, A.-C.; Rodríguez-Valera, F. (2016). Marine Viruses, in: Stal, L.J. et al. (Ed.) The marine microbiome. An untapped source of biodiversity and biotechnological potential. pp. 155-183. [dx.doi.org/10.1007/978-3-319-33000-6_5](https://doi.org/10.1007/978-3-319-33000-6_5)
3. Burdorf, L.D.W.; Malkin, S.Y.; Seitaj, D.; Meire, L.; Cook, P.L.M.; Meysman, F.J.R. (2015). Long distance electron transport by cable bacteria in marine sediments: a global phenomenon, in: Mees, J. et al. (Ed.) Book of abstracts – VLIZ Young Scientists’ Day. Brugge, Belgium, 20 February 2015. VLIZ Special Publication, 71: pp. 28
4. Cornacchia, L.; Licci, S.; van de Koppel, J.; van der Wal, D.; Wharton, G.; Puijalon, S.; Bouma, T.J (2016). Flow Velocity and Morphology of a Submerged Patch of the Aquatic Species *Veronica anagallis-aquatica* L., in: Rowinski, P. et al. Hydrodynamic and Mass Transport at Freshwater Aquatic Interfaces : 34th International School of Hydraulics. pp. 141-152
5. Camphuysen, C.J.; Smeenk, C. (2016). Noordkaper - Bruinvis, in: Broekhuizen, S. et al. (Ed.) Atlas van de Nederlandse zoogdieren. pp. 302-374
6. Stal, L.J.; Cretoiu, M.S. (2016). Preface, in: Stal, L.J. et al. (Ed.) The marine microbiome. An untapped source of biodiversity and biotechnological potential. pp. ix-xi. [dx.doi.org/10.1007/978-3-319-33000-6](https://doi.org/10.1007/978-3-319-33000-6)
7. Stal, L.J. (2016). Coastal Sediments: Transition from Land to Sea, in: Stal, L.J. et al. (Ed.) The marine microbiome. An untapped source of biodiversity and biotechnological potential. pp. 283-304. [dx.doi.org/10.1007/978-3-319-33000-6_10](https://doi.org/10.1007/978-3-319-33000-6_10)
8. Stal, L.J. (2016). The Euphotic Realm, in: Stal, L.J. et al. (Ed.) The marine microbiome. An untapped source of biodiversity and biotechnological potential. pp. 209-225. [dx.doi.org/10.1007/978-3-319-33000-6_7](https://doi.org/10.1007/978-3-319-33000-6_7)

PROFESSIONAL PUBLICATIONS

1. Bijleveld, A.I.; Folmer, E. (2016). Wat verklaart de grootschalige ecologische ontwikkelingen in de Waddenzee? : Implicaties voor monitoring, onderzoek en beleid, in: Visies op de Wadden : Zes essays ten behoeve van de Beleidsverkenning Toekomstige Rol en Ambitie van het Rijk voor het Waddengebied.
2. de Nooijer, L.; van Heuven, S. (2016). Cruise report RV Pelagia 64PE414 : Saba Bank 19th of August – 8th of September 2016 Guadeloupe – Curaçao. NIOZ: Texel. 72 pp.
3. Folmer, E.; Van der Meer, J. (2016). Sample size requirements for testing the effectiveness of pulse gear for reducing discards in shrimp fisheries - a power analysis . NIOZ-rapport, 2016(2). NIOZ: Texel.
4. Hummel, H.; Hummel, C. (2016). Scenario for the organisation of conferences and symposia. 4th edition. NIOZ-rapport, 2016(1). NIOZ: Den Burg. 36 pp.
5. Kromkamp, J.; Vlaming, J. (2016). Primaire productie in de Zeeschelde en haar zijrivieren in de periode 2010-2015. OMES project Luik 5.. [S.n.]: [s.l.].
6. Kromkamp, J.C.; Folmer, E.; Philippart, C.J.M. (2016). Opzet rekeninstrumentarium voor de berekening van primaire productie van fytoplankton en microfytobenthos in het Eems-Dollard estuarium. [S.n.]: [s.l.].
7. Mienis, F.; Duineveld, G.; shipboard scientific crew (2016). Cruise Report Cruise 64PE409, Texel-Texel, 7-12 May 2016, R.V. Pelagia. INSITE Measuring the 'shadow' of artificial structures in the North Sea and its effect on the surrounding soft bottom community (SHADOW). NIOZ: Texel. 28 pp.
8. Hassell, C.; Boyle, A.; Loos, B.; Piersma, T. (2016). Red Knot Northward Migration Through Bohai Bay, China, Field Trip Report April - June 2016. [S.n.]: [s.l.]. 35 pp.
9. Piersma, T.; Pearson, G.; Lavaleye, M.S.S.; Hickey, R.; Rogers, D.I.; Holthuijsen, S.; Marin-Estrella, S.; de Goeij, P.; Findlay, N.; Storey, A.W. (2016). Anna Plains and Roebuck Bay Benthic Invertebrate Mapping 2016: AnnRoeBIM16, Field Report. [S.n.]: [s.l.]. 96 pp.
10. Smit, M. (2016). Tidal Energy Fish Impact: Method development to determine the impact of open water tidal energy converters on fish. NIOZ: Den Burg. 28 pp.
11. Smit, M. (2016). Waddenfonds Tidal Texel Demonstration project . NIOZ-rapport, 2016(3). NIOZ: Texel.
12. van der Meer, M.T.J. (2016). Cruise report 64PE406, NESSC East Med, Limassol-Istanbul, January 12th-January 28th.. NIOZ: Texel. 60 pp.
13. van der Meer, M.T.J. (2016). Cruise report 64PE408, NESSC Black Sea, Istanbul-Istanbul, January 28th-February 5th. NIOZ: Texel. 68 pp.
14. van der Meer, M.T.J. (2016). Cruise report 64PE410, NIOZ Baltic 2016, Texel-Nynäshamn (Sweden), May 16th- May 28th. NIOZ: Texel. 119 pp.
15. van Duyl, F.C. (2016). NIOZ-Saba Bank/Saba Cruise report : Net coral community calcification and hydrodynamics (Saba Bank/Saba) Caribbean Explorer II, 17/24-31 October 2015 Research cruise contributing to Project : Seawater chemistry of CO2 system and nutrients as drivers of benthic community structure and carbon metabolism of coral reef ecosystems of different trophic status. NIOZ: Texel. 43 pp.
16. Ysebaert, T.; Craeymeersch, J.A.M.; van der Wal, D. (2016). De relatie tussen bodemdieren en hydro- en morfodynamiek in het sublitoraal en litoraal van de Westerschelde. IMARES Wageningen Report, C066/16. IMARES Wageningen UR: Yerseke. 84 pp.