

Publications Jan W. de Leeuw

2018

van Bree, L. G. J., Islam, M. M., Rijpstra, W. I. C., Verschuren, D., van Duin, A. C. T., Sininghe Damsté, J. S., and **de Leeuw, J. W.** (2018) Origin, formation and environmental significance of des-A-arborenes in the sediments of an East African crater lake, *Organic Geochemistry* 125, 95-108.

2016

van Bree, L. G. J., Rijpstra, W. I. C., Al-Dhabi, N. A., Verschuren, D., Sininghe Damsté, J. S., and **de Leeuw, J. W.** (2016) Des-A-lupane in an East African lake sedimentary record as a new proxy for the stable carbon isotopic composition of C-3 plants, *Organic Geochemistry* 101, 132-139.

2015

Mills, H. J., **de Leeuw, J.**, Hinrichs, K. U., Inagaki, F., and Kallmeyer, J. (2015) Advancing subsurface biosphere and paleoclimate research: ECORD–ICDP–DCO–J–DESC–MagellanPlus Workshop Series Program Report, *Sci. Dril.* 20, 59-65.

2014

van Bree, L. G. J., Rijpstra, W. I. C., Cocquyt, C., Al-Dhabi, N. A., Verschuren, D., Sininghe Damsté, J. S., and **de Leeuw, J. W.** (2014) Origin and palaeoenvironmental significance of C25 and C27 n-alk-1-enes in a 25,000-year lake-sedimentary record from equatorial East Africa, *Geochimica et Cosmochimica Acta* 145, 89-102.

2012

de Leeuw, J. W. (2012) Citation for presentation of the 2010 Alfred Treibs Award to John Volkman, *Geochimica et Cosmochimica Acta* 89, 326-328.

2011

Nierop, K. G. J., Speelman, E. N., **de Leeuw, J. W.**, and Reichart, G.-J. (2011) The omnipresent water fern *Azolla caroliniana* does not contain lignin, *Organic Geochemistry* 42, 846-850.

2010

Zonneveld, K. A. F., Versteegh, G. J. M., Kasten, S., Eglinton, T. I., Emeis, K.-C., Huguet, C., Koch, B. P., De Lange, G. J., **de Leeuw, J. W.**, Middelburg, J. J., Mollenhauer, G., Prahl, F. G., Rethemeyer, J., and Wakeham, S. G. (2010) Selective preservation of organic matter in marine environments; processes and impact on the sedimentary record, *Biogeosciences* 7, 483-511.

Verbruggen, F., Heiri, O., Reichart, G. J., **De Leeuw, J. W.**, Nierop, K. G. J., and Lotter, A. F. (2010) Effects of chemical pretreatments on delta O-18 measurements, chemical composition, and morphology of chironomid head capsules, *Journal of Paleolimnology* 43, 857-872.

Brader, A. V., van Winden, J. F., Bohncke, S. J. P., Beets, C. J., Reichart, G.-J., and **de Leeuw, J. W.** (2010) Fractionation of hydrogen, oxygen and carbon isotopes in n-alkanes and cellulose of three *Sphagnum* species, *Organic Geochemistry* 41, 1277-1284.

2009

Speelman, E. N., Reichart, G.-J., **de Leeuw, J. W.**, Rijpstra, W. I. C., and Sinninghe Damsté, J. S. (2009) Biomarker lipids of the freshwater fern *Azolla* and its fossil counterpart from the Eocene Arctic Ocean, *Organic Geochemistry* 40, 628-637.

2007

Versteegh, G. J. M., **de Leeuw, J. W.**, Taricco, C., and Romero, A. (2007) Temperature and productivity influences on $U^{K_{37}}$ and their possible relation to solar forcing of the Mediterranean winter, *Geochemistry Geophysics Geosystems* 8, 1-14.

de Leeuw, J. W. (2007) On the origin of sedimentary aliphatic macromolecules: A comment on recent publications by Gupta et al., *Organic Geochemistry* 38, 1585-1587.

2006

de Leeuw, J. W., Versteegh, G. J. M., and van Bergen, P. F. (2006) Biomacromolecules of algae and plants and their fossil analogues, *Plant Ecology* 182, 209-233.

Brinkhuis, H., Schouten, S., Collinson, M. E., Sluijs, A., Sinninghe Damsté, J. S., Dickens, G. R., Huber, M., Cronin, T. M., Onodera, J., Takahashi, K., Bujak, J. P., Stein, R., van der Burgh, J., Eldrett, J. S., Harding, I. C., Lotter, A. F., Sangiorgi, F., van Konijnenburg-van Cittert, H., **de Leeuw, J. W.**, Matthiessen, J., Backman, J., Moran, K., and Scientists, t. E. (2006) Episodic fresh surface waters in the Eocene Arctic Ocean, *Nature* 441, 606-609.

Blokker, P., van den Ende, H., **de Leeuw, J. W.**, Versteegh, G. J. M., and Sinninghe Damsté, J. S. (2006) Chemical fingerprinting of algaenans using RuO₄ degradation, *Organic Geochemistry* 37, 871-881.

2005

van der Meer, M. T. J., Schouten, S., Bateson, M. M., Nübel, U., Wieland, A., Kühl, M., **de Leeuw, J. W.**, Sinninghe Damsté, J. S., and Ward, D. M. (2005) Diel variations in carbon metabolism by green nonsulfur-like bacteria in alkaline siliceous hot spring microbial mats from Yellowstone National Park, *Applied and Environmental Microbiology* 71, 3978-3986.

Sephton, M. A., Looy, C. V., Brinkhuis, H., Wignall, P. B., **de Leeuw, J. W.**, and Visscher, H. (2005) Catastrophic soil erosion during the end-Permian biotic crisis, *Geology* 33, 941-944.

Naafs, D. F. W., Nierop, K. G. J., van Bergen, P. F., and **de Leeuw, J. W.** (2005) Changes in the molecular composition of ester-bound aliphatics with depth in an acid andic forest soil, *Geoderma* 127, 130-136.

Boom, A., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (2005) Cutan, a common aliphatic biopolymer in cuticles of drought-adapted plants, *Organic Geochemistry* 36, 595-601.

2004

Versteegh, G. J. M., Blokker, P., Wood, G. D., Collinson, M. E., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (2004) An example of oxidative polymerization of unsaturated fatty acids as a preservation pathway for dinoflagellate organic matter, *Organic Geochemistry* 35, 1129-1139.

Naafs, D. F. W., van Bergen, P. F., de Jong, M. A., Oonincx, A., and **de Leeuw, J. W.** (2004) Total lipid extracts from characteristic soil horizons in a podzol profile, *European Journal of Soil Science* 55, 657-669.

Naafs, D. F. W., van Bergen, P. F., Boogert, S. J., and **de Leeuw, J. W.** (2004) Solvent-extractable lipids in an acid andic forest soil; variations with depth and season, *Soil Biology & Biochemistry* 36, 297-308.

2003

- van der Meer, M. T. J., Schouten, S., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, and Ward, D. M. (2003) Compound-specific isotopic fractionation patterns suggest different carbon metabolisms among *Chloroflexus*-like bacteria in hot-spring microbial mats, *Applied and Environmental Microbiology* 69, 6000-6006.
- van Bergen, P. F., Blokker, P., Collinson, M. E., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (2003) Structural biomacromolecules in plants: What can be learnt from the fossil record?, In *The Evolution of Plant Physiology* (Hemsley, A. R., and Poole, I., Eds.), pp 133-154, Elsevier, Amsterdam.

2002

- Sephton, M. A., Wright, I. P., Gilmour, I., **de Leeuw, J. W.**, Grady, M. M., and Pillinger, C. T. (2002) High molecular weight organic matter in martian meteorites, *Planetary and Space Science* 50, 711-716.
- Sephton, M. A., Looy, C. V., Veefkind, R. J., Brinkhuis, H., **de Leeuw, J. W.**, and Visscher, H. (2002) Synchronous record of $\delta^{13}\text{C}$ shifts in the oceans and atmosphere at the end of the Permian, In *Catastrophic Events and Mass Extinctions: Impacts and Beyond* (Koeberl, C., and MacLeod, K. G., Eds.), pp 455-462, Geological Society of America, Boulder, Colorado.
- Menzel, D., Hopmans, E. C., van Bergen, P. F., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (2002) Development of photic zone euxinia in the eastern Mediterranean Basin during deposition of Pliocene sapropels, *Marine Geology* 189, 215-226.
- Megens, L., van der Plicht, J., **de Leeuw, J. W.**, and Smedes, F. (2002) Stable carbon and radiocarbon isotope compositions of particle size fractions to determine origins of sedimentary organic matter in an estuary, *Organic Geochemistry* 33, 945-952.
- Grutters, M., van Raaphorst, W., Epping, E., Helder, W., **de Leeuw, J. W.**, Glavin, D. P., and Bada, J. (2002) Preservation of amino acids from in situ-produced bacterial cell wall peptidoglycans in northeastern Atlantic continental margin sediments, *Limnology and Oceanography* 47, 1521-1524.

2001

- Ward, D. M., Bateson, M. M., and **de Leeuw, J. W.** (2001) Use of 16S rRNA, lipid, and naturally preserved components of hot spring mats and microorganisms to help interpret the record of microbial evolution, In *Thermophiles: Biodiversity, Ecology, and Evolution* (Reysenbach, A.-L., Ed.), pp 167-181, Kluwer Academic/Plenum Publishers, New York.
- Versteegh, G. J. M., Riegman, R., **de Leeuw, J. W.**, and Jansen, J. H. F. (2001) $U^{K'_{37}}$ values for *Isochrysis galbana* as a function of culture temperature, light intensity and nutrient concentrations, *Organic Geochemistry* 32, 785-794.
- van Hunnik, E., Livne, A., Pogenberg, V., Spijkerman, E., van den Ende, H., Mendoza, E. G., Sultemeyer, D., and **de Leeuw, J. W.** (2001) Identification and localization of a thylakoid-bound carbonic anhydrase from the green algae *Tetraedron minimum* (Chlorophyta) and *Chlamydomonas noctigama* (Chlorophyta), *Planta* 212, 454-459.
- van der Meer, M. T. J., Schouten, S., van Dongen, B. E., Rijpstra, W. I. C., Fuchs, G., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, and Ward, D. M. (2001) Biosynthetic controls on the ^{13}C contents of organic components in the photoautotrophic bacterium *Chloroflexus aurantiacus*, *Journal of Biological Chemistry* 276, 10971-10976.
- Rosell-Melé, A., Emeis, K.-C., Grimalt, J. O., Müller, P., Schneider, R., Bouloubassi, I., Epstein, B. L., Fahl, K., Fluegge, A., Freeman, K., Goñi, M., Günter, U., Hartz, d., Hellebust, S., Herbert, T., Ikebara, M., Ishiwatari, R., Kawamura, K., Kenig, F., **de Leeuw, J. W.**, Lehman, S. J., Méjanelle, L., Onkouchi, N., Pancost, R. D., Pelejero, C., Prahl, F., Quinn, J. G., Rontani, J.-F., Rostek, F., Rullkötter, J.,

- Sachs, J. P., Blanz, T., Sawada, K., Schulz-Bull, D. E., Sikes, E. L., Sonzogni, C., Ternois, Y., Versteegh, G. J. M., Volkman, J. K., and Wakeham, S. G. (2001) Precision of the current methods to measure the alkenone proxy U^{37}_C and the absolute alkenone abundance in sediments: Results of an interlaboratory comparison study, *Geochemistry Geophysics Geosystems* 2, 1-28.
- Megens, L., van der Plicht, J., and **de Leeuw, J. W.** (2001) Temporal variations in ^{13}C and ^{14}C concentrations in particulate organic matter from the southern North Sea, *Geochimica et Cosmochimica Acta* 65, 2899-2911.
- Blokker, P., van Bergen, P. F., Pancost, R. D., Collinson, M. E., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (2001) The chemical structure of *Gloeocapsomorpha prisca* microfossils: Implications for their origin, *Geochimica et Cosmochimica Acta* 65, 885-900.

2000

- Versteegh, G. J. M., Jansen, J. H. F., **de Leeuw, J. W.**, and Schneider, R. R. (2000) Mid-chain diols and keto-ols in SE Atlantic sediments: a new tool for tracing past sea surface water masses?, *Geochimica et Cosmochimica Acta* 64, 1879-1892.
- van Hunnik, E., van den Ende, H., Timmermans, K. R., Laan, P., and **de Leeuw, J. W.** (2000) A comparison of CO₂ uptake by the green algae *Tetraedron minimum* and *Chlamydomonas monoica*, *Plant Biology* 2, 624-627.
- van Heemst, J. D. H., Megens, L., Hatcher, P. G., and **de Leeuw, J. W.** (2000) Nature, origin and average age of estuarine ultrafiltered dissolved organic matter as determined by molecular and carbon isotope characterization, *Organic Geochemistry* 31, 847-857.
- van Heemst, J. D. H., del Rio, J. C., Hatcher, P. G., and **de Leeuw, J. W.** (2000) Characterization of estuarine and fluvial dissolved organic matter by thermochemolysis using tetramethylammonium hydroxide, *Acta Hydrochimica et Hydrobiologica* 28, 69-76.
- van Dongen, B. E., Rijpstra, W. I. C., Philippart, C. J. M., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (2000) Biomarkers in upper Holocene Eastern North Sea and Wadden Sea sediments, *Organic Geochemistry* 31, 1533-1543.
- van der Meer, M. T. J., Schouten, S., **de Leeuw, J. W.**, and Ward, D. M. (2000) Autotrophy of green non-sulphur bacteria in hot spring microbial mats: biological explanations for isotopically heavy organic carbon in the geological record, *Environmental Microbiology* 2, 428-435.
- Schouten, S., Schoell, M., Sinninghe Damsté, J. S., Summons, R. E., and **de Leeuw, J. W.** (2000) Molecular biogeochemistry of Monterey sediments, Naples Beach, California, II: Stable carbon isotopic compositions of free and sulfur-bound carbon skeletons, In *The Monterey Formation: From Rocks to Molecules*, pp 175-188, Columbia University Press, New York.
- Schouten, S., de Loureiro, M. R. B., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (2000) Molecular biogeochemistry of Monterey sediments ,Naples Beach, California I: Distributions of hydrocarbons and organic sulphur compounds, In *The Monterey Formation: From Rock to Molecule*, pp 150-188, Colombia University Press, New york.
- Hedges, J. I., Eglington, G., Hatcher, P. G., Kirchman, D. L., Arnosti, C., Derenne, S., Evershed, R. P., Kögel-Knabner, I., **de Leeuw, J. W.**, Littke, R., Michaelis, W., and Rullkötter, J. (2000) The molecularly- uncharacterized component of nonliving organic matter in natural environments., *Org. Geochem* 31, 945-958.
- Blokker, P., Schouten, S., **de Leeuw, J. W.**, Sinninghe Damsté, J. S., and van den Ende, H. (2000) A comparative study of fossil and extant algaenans using ruthenium tetroxide degradation, *Geochimica et Cosmochimica Acta* 64, 2055-2065.
- Ahmed, M., Schouten, S., Baas, M., and **de Leeuw, J. W.** (2000) Bound lipids in kerogens from the Monterey formation, Naples Beach,California, In *The Monterey Formation from Rocks to Molecules*, pp 189-205, Colombia University Press, New York.

1999

- Volkman, J. K., Rijpstra, W. I. C., **de Leeuw, J. W.**, Mansour, M. P., Jackson, A. E., and Blackburn, S. I. (1999) Sterols of four species of dinoflagellates from the genus *Prorocentrum*., *Phytochemistry* 52, 659-668.
- Versteegh, G. J. M., **de Leeuw, J. W.**, Bonino, G., Romero, A., and Cini-Castagnoli, C. (1999) Solar driven climate change in the Mediterranean from 1635 to 1975.
- van Heemst, J. D. H., van Bergen, P. F., Stankiewicz, B. A., and **de Leeuw, J. W.** (1999) Multiple sources of alkylphenols produced upon pyrolysis of DOM, POM and recent sediments., *Journal of Analytical and Applied Pyrolysis* 52, 239-256.
- Sinninghe Damsté, J. S., White, C. M., Green, J. B., and **de Leeuw, J. W.** (1999) Organosulfur compounds in sulfur-rich Rasa coal, *Energy & Fuels* 13, 728-738.
- Sinninghe Damsté, J. S., Schouten, S., **de Leeuw, J. W.**, van Duin, A. C. T., and Geenevasen, J. A. J. (1999) Identification of novel sulfur-containing steroids in sediments and petroleum: Probable incorporation of sulfur into $\Delta^{5,7}$ -sterols during early diagenesis, *Geochimica et Cosmochimica Acta* 63, 31-38.
- Septon, M. A., Looy, C. V., Veefkind, R. J., Visscher, H., Brinkhuis, H., and **de Leeuw, J. W.** (1999) Cyclic diaryl ethers in a Late Permian sediment., *Organic Geochemistry* 30, 267-273.
- Nierop, K. G. J., Buurman, P., and **de Leeuw, J. W.** (1999) Effect of vegetation on chemical composition of H horizons in incipient podzols as characterized by ^{13}C NMR and pyrolysis-GC/MS., *Geoderma* 90, 111-129.
- Koopmans, M. P., Rijpstra, W. I. C., Klapwijk, M. M., **de Leeuw, J. W.**, Lewan, M. D., and Sinninghe Damsté, J. S. (1999) A thermal and chemical degradation approach to decipher pristane and phytane precursors in sedimentary organic matter, *Organic Geochemistry* 1999, 1089-1104.
- Gelin, F., Volkman, J. K., Largeau, C., Derenne, S., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1999) Distribution of aliphatic, nonhydrolyzable biopolymers in marine microalgae, *Organic Geochemistry* 30, 147-159.
- Blokker, P., Schouten, S., **de Leeuw, J. W.**, Sinninghe Damsté, J. S., and van den Ende, H. (1999) Molecular structure of the resistant biopolymer in zygospore cell walls of *Chlamydomonas monica*, *Planta* 207, 539-543.

1998

- Van Kaam-Peters, H. M. E., Rijpstra, W. I. C., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1998) A high resolution biomarker study of different lithofacies of organic sulfur-rich carbonate rocks of a Kimmeridgian lagoon (French southern Jura), *Organic Geochemistry* 28, 151-177.
- Van Kaam-Peters, H. M. E., Köster, J., Van der Gaast, S. J., Dekker, M., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1998) The effect of clay minerals on diasterane/sterane ratios, *Geochimica et Cosmochimica Acta* 62, 2923-2929.
- Schouten, S., Moerkerken, P., Gelin, F., Baas, M., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1998) Structural characterization of aliphatic, non-hydrolyzable biopolymers in freshwater algae and a leaf cuticle using ruthenium tetroxide degradation, *Phytochemistry* 49, 987-993.
- Rospondok, M. J., Köster, J., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1998) Origin of reduced sulphur in sediment-hosted stratiform sulphide deposits, Fore-Sudetic Monocline, Poland., In *Proceedings of the Ninth Quadrennial IAGOD Symposium* (. Ed.), pp 399-408, E. Schweizerbart'sche Velagsbuchhandlung.
- Putschew, A., Schaeffer-Reiss, C., Schaeffer, P., Koopmans, M. P., **de Leeuw, J. W.**, Lewan, M. D., Sinninghe Damsté, J. S., and Maxwell , J. R. (1998) Release of sulfur- and oxygen-bound components from a sulfur-rich kerogen during simulated maturation by hydrous pyrolysis, *Org. Geochem* 29, 1875-1890.

- Pool, W. G., **de Leeuw, J. W.**, and van de Graaf, B. (1998) Backfolding: A new algorithm for the processing of GC/MS data., *Advances in Mass Spectrometry*, 585-594.
- Megens, L., van der Plicht, J., and **de Leeuw, J. W.** (1998) Molecular, radioactive and stable carbon isotope characterization of estuarine particulate organic matter., *Radiocarbon* 40, 985-990.
- Koopmans, M. P., Rijpstra, W. I. C., **de Leeuw, J. W.**, Lewan, M. D., and Sinninghe Damsté, J. S. (1998) Artificial maturation of an immature sulphur- and organic matter-rich limestone from the Ghareb Formation, Jordan., *Org. Geochem* 28, 503-521.
- Hoefs, M. J. L., Versteegh, G. J. M., Rijpstra, W. I. C., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1998) Postdepositional oxic degradation of alkenones: Implications for the measurement of palaeo sea surface temperatures, *Paleoceanography* 13, 42-49.
- Hoefs, M. J. L., Sinninghe Damsté, J. S., De Lange, G. J., and **de Leeuw, J. W.** (1998) Changes in kerogen composition across an oxidation front in Madeira Abyssal Plain turbidites as revealed by pyrolysis GC-MS, In *Proceedings of the Ocean Drilling Program, Scientific Results* (Weaver, P. P. E., Schmincke, H.-U., Firth, J. V., and Duffield, W., Eds.) 157 ed., pp 591-607.
- Grossi, V., Hirschler, A., Raphel, D., Rontani, J.-F., **de Leeuw, J. W.**, and Bertrand, J.-C. (1998) Biotransformation pathways of phytol in recent anoxic sediments, *Organic Geochemistry* 29, 845-861.
- Grossi, V., and **de Leeuw, J. W.** (1998) Comments on "Generation of biogenic hydrocarbons during a spring bloom in Newfoundland coastal (NW Atlantic) waters" from T. Bieger, T. A. Abrajano and J. Hellou, *Org. Geochem* 28, 135-135.
- Grice, K., Klein Breteler, W. C. M., Schouten, S., Grossi, V., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1998) Effects of zooplankton herbivory on biomarker proxy records, *Paleoceanography* 13, 686-693.
- Gelin, F., Kok, M. D., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1998) Laboratory sulfurisation of the marine microalga *Nannochloropsis salina*., *Org. Geochem* 29, 1837-1848.
- Bosch, H.-J., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1998) Molecular palaeontology of eastern mediterranean sapropels: evidence for photic zone euxinia, *Proc. ODP, Sci. Results* 160, 285-295.
- Blokker, P., Schouten, S., van den Ende, H., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1998) Cell wall-specific ω -hydroxy fatty acids in some freshwater green microalgae, *Phytochemistry* 49, 691-695.
- Blokker, P., Schouten, S., van den Ende, H., **de Leeuw, J. W.**, Hatcher, P. G., and Sinninghe Damsté, J. S. (1998) Chemical structure of algaenans from the fresh water algae Tetraedron minimum, Scenedesmus communis and Pediastrum boryanum, *Organic Geochemistry* 29, 1453-1468.

1997

- Versteegh, G. J. M., Bosch, H.-J., and **de Leeuw, J. W.** (1997) Potential palaeoenvironmental information of C₂₄ to C₃₆ mid-chain diols, keto-ols and mid-chain hydroxy fatty acids; a critical review, *Organic Geochemistry* 27, 1-13.
- van Duin, A. C. T., Sinninghe Damsté, J. S., Koopmans, M. P., van de Graaf, B., and **de Leeuw, J. W.** (1997) A kinetic calculation method of homohopanoid maturation: Applications in the reconstruction of burial histories of sedimentary basins., *Geochimica et Cosmochimica Acta* 61, 2409-2429.
- van Duin, A. C. T., Baas, J. M. A., van de Graaf, B., **de Leeuw, J. W.**, Bastow, T. P., and Alexander, R. (1997) Comparison of calculated equilibrium mixtures of alkylnaphthalenes and alkylphenanthrenes with experimental and sedimentary data; the importance of entropy calculations., *Org. Geochem* 26, 275-280.
- van Bergen, P. F., Hatcher, P. G., Boon, J. J., Collinson, M. E., and **de Leeuw, J. W.** (1997) Macromolecular composition of the propagule wall of *Nelumbo nucifera* (Indian of sacred lotus). *Phytochemistry* 45, 601-610.

- Schouten, S., Schoell, M., Rijpstra, W. I. C., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1997) A molecular stable carbon isotope study of organic matter in immature Miocene Monterey sediments, Pismo basin, *Geochimica et Cosmochimica Acta* 61, 2065-2082.
- Pool, W. G., van de Graaf, B., and **de Leeuw, J. W.** (1997) Automated extraction of pure mass spectra from Gas Chromatographic / Mass Spectrometric data., *Journal of Mass Spectrometry* 32, 438-443.
- Pool, W. G., Maas, L. R. M., **de Leeuw, J. W.**, and van de Graaf, B. (1997) Automated processing of GC/MS data: quantification of the signals of individual components, *Journal of Mass Spectrometry* 32, 1253-1257.
- Köster, J., Van Kaam-Peters, H. M. E., Koopmans, M. P., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1997) Sulphurisation of homohopanoids: Effects on carbon number distribution, speciation, and 22S/22R epimer ratios, *Geochimica et Cosmochimica Acta* 61, 2431-2452.
- Koopmans, M. P., Schaeffer-Reiss, C., **de Leeuw, J. W.**, Lewan, M. D., Maxwell, J. R., Schaeffer, P., and Sinninghe Damsté, J. S. (1997) Sulphur and oxygen sequestration of *n*-C₃₇ and *n*-C₃₈ unsaturated ketones in an immature kerogen and the release of their carbon skeletons during early stages of thermal maturation, *Geochimica et Cosmochimica Acta* 61, 2397-2408.
- Hoefs, M. J. L., Schouten, S., **de Leeuw, J. W.**, King, L. L., Wakeham, S. G., and Sinninghe Damsté, J. S. (1997) Ether lipids of planktonic archaea in the marine water column, *Applied and Environmental Microbiology* 63, 3090-3095.
- Gelin, F., Volkman, J. K., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1997) Mid-chain hydroxy long-chain fatty acids in microalgae from the genus Nannochloropsis, *Phytochemistry* 45, 641-646.
- Gelin, F., Boogers, I., Noordeloos, A. A. M., Sinninghe Damsté, J. S., Riegman, R., and **de Leeuw, J. W.** (1997) Resistant biomacromolecules in marine microalgae of the classes Eustigmatophyceae and Chlorophyceae: Geochemical implications, *Org. Geochem* 26, 659-675.
- Duineveld, G. C. A., Lavaleye, M. S. S., Berghuis, E. M., de Wilde, P. A. W. J., van der Weele, J. A., Kok, A., Batten, S. D., and **de Leeuw, J. W.** (1997) Patterns of benthic fauna and benthic respiration on the Celtic continental margin in relation to the distribution of phytodetritus., *Intern. Rev. ges. Hydrobiolog* 82, 395-424.
- de Leeuw, J. W.** (1997) Resistente celwanden van micro-algen: de brandstof van onze koolwaterstofmaatschappij, *Verslag afd. Nat* 106, 62-68.
- De las Heras, F. X. C., Grimalt, J. O., Lopez, J. F., Albaiges, J., Sinninghe Damsté, J. S., Schouten, S., and **de Leeuw, J. W.** (1997) Free and sulphurized hopanoids and highly branched isoprenoids in immature lacustrine oil shales, *Organic Geochemistry* 27, 41-63.

1996

- Yamamoto, M., Ficken, K., Baas, M., Bosch, H.-J., and **de Leeuw, J. W.** (1996) Molecular palaeontology of earliest Danian at Geulhemmerberg (the Netherlands). *Geologie en Mijnbouw* 75, 255-267.
- van Heemst, J. D. H., Peulvé, S., and **de Leeuw, J. W.** (1996) Novel algal polyphenolic biomacromolecules as significant contributors to resistant fractions of marine dissolved and particulate organic matter, *Org. Geochem* 24, 629-640.
- van Duin, A. C. T., Peakman, T. M., **de Leeuw, J. W.**, and van de Graaf, B. (1996) Novel aspects of the diagenesis of Δ⁷-5α-sterenes as revealed by a combined molecular mechanics calculations and laboratory simulations approach., *Org. Geochem* 24, 473-493.
- van Bergen, P. F., Collinson, M. E., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1996) Characterization of the insoluble constituents of propagule walls of fossil and extant water lilies: Implications for the fossil record., *Ancient Biomolecules* 1, 55-81.

- Pool, W. G., van de Graaf, B., and **de Leeuw, J. W.** (1996) A rapid routine to correct for skewing in gas chromatography/mass spectrometry., *Journal of Mass Spectrometry* 31, 213-215.
- Pool, W. G., **de Leeuw, J. W.**, and van de Graaf, B. (1996) Backfolding applied to differential gas chromatography mass spectrometry as a mathematical enhancement of chromatographic resolution, *Journal of Mass Spectrometry* 31, 509-516.
- Peulv , S., Sicre, M.-A., **de Leeuw, J. W.**, Saliot, A., and Baas, M. (1996) Characterization of macromolecular organic matter in sediment traps from the Northwestern Mediterranean Sea., *Geochim. Cosmochim. Acta* 60, 1239-1259.
- Peulv , S., Sicre, M.-A., **de Leeuw, J. W.**, Baas, M., and Saliot, A. (1996) Molecular characterization of suspensions and sedimentary organic matter in an arctic delta., *Limnol. Oceanogr* 41, 488-497.
- Montaudo, G., Puglisi, C., **de Leeuw, J. W.**, Hartgers, W., Kishore, K., and Ganesh, K. (1996) Thermal degradation processes in poly(xylylenesulphides) investigated by comparative direct pyrolysis-MS and flash pyrolysis-GC/MS experiments., *Macromolecules* 29, 6466-6474.
- McKinney, D. E., Bortiatynski, J. M., Carson, D. M., Clifford, D. J., **de Leeuw, J. W.**, and Hatcher, P. G. (1996) Tetramethylammonium hydroxide (TMAH) thermochemolysis of the aliphatic biopolymer cutan: insights into chemical structure, *Org. Geochem* 24, 641-650.

1995

- Leythaeuser, D., Schwark, L., **de Leeuw, J. W.**, and Rowland, S. (1996) Proceedings of the 17th International Meeting on Organic Geochemistry Donostia San Sebastian, Spain, 4-8 September 1995 .6. Palaeoenvironmental and Source Rock Occurrence - Biogeochemical Cycling of Sulphur and Other Elements - Introduction, *Organic Geochemistry* 25, R7-R7.
- Lai, W.-C., Song, C., van Duin, A., and **de Leeuw, J. W.** (1996) Ring-shift isomerization of *sym*-octahydrophenanthrene into *sym*-octahydroanthracene. Effects of zeolite catalysts and equilibrium compositions., *Catalysis Today* 31, 145-161.
- Koopmans, M. P., K ster, J., Van Kaam-Peters, H. M. E., Kenig, F., Schouten, S., Hartgers, W. A., **de Leeuw, J. W.**, and Sinninghe Damst , J. S. (1996) Diagenetic and catagenetic products of isorenieratene: Molecular indicators for photic zone anoxia, *Geochimica et Cosmochimica Acta* 60, 4467-4496.
- Koopmans, M. P., **de Leeuw, J. W.**, Lewan, M. D., and Sinninghe Damst , J. S. (1996) Impact of dia- and catagenesis on sulphur and oxygen sequestration of biomarkers as revealed by artificial maturation of an immature sedimentary rock, *Organic Geochemistry* 25, 391-426.
- Grossi, V., Schogt, N., Klein Breteler, W. C. M., **de Leeuw, J. W.**, and Rontani, J.-F. (1996) Formation of phytadienes in the water column: myth or reality?, *Org. Geochem* 24, 833-839.
- Gelin, F., Sinninghe Damst , J. S., Harrison, W. N., Maxwell, J. R., and **de Leeuw, J. W.** (1996) Variations in origin and composition of kerogen constituents as revealed by analytical pyrolysis of immature kerogens before and after desulphurization., *Organic Geochemistry* 24, 705-714.
- Gelin, F., Noordeloos, A. A. M., Sinninghe Damst , J. S., Hatcher, P. G., and **de Leeuw, J. W.** (1996) Novel, resistant microalgal polyethers: An important sink of organic carbon in the marine environment?, *Geochimica et Cosmochimica Acta* 60, 1275-1280.
- Wakeham, S. G., Sinninghe Damst , J. S., Kohnen, M. E. L., and **de Leeuw, J. W.** (1995) Organic sulfur compounds formed during early diagenesis in Black Sea sediments, *Geochimica et Cosmochimica Acta* 59, 521-533.
- Van Kaam-Peters, H. M. E., Schouten, S., **de Leeuw, J. W.**, and Sinninghe Damst , J. S. (1995) The Kimmeridge clay formation : Biomarker and molecular stable carbon isotope analyses, In *Organic geochemistry: Developments and applications to energy, climate, environment and human history*, pp 216-219, A.I.G.O.A./ISBN 84-605-3297-6 , Donostia, The Basque Country-Spain, San Sebastian.

- Van Kaam-Peters, H. M. E., Köster, J., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1995) Occurrence of two novel benzothiophene hopanoid families in sediments, *Org. Geochem* 23, 607-616.
- van Heemst, J. D. H., Peulvé, S., **de Leeuw, J. W.**, Sicre, M.-A., and Saliot, A. (1995) Algal polyphenolic resistant macromolecules in marine dissolved and particulate organic matter., In *Organic Geochemistry: Developments and Applications to energy, climate, environment and human history* (Grimalt, J. A., Ed.), pp 940-943.
- van Duin, A. C. T., Baas, J. M. A., van de Graaf, B., Peakman, T. M., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1995) Application of computational methods in predicting kinetics of diagenetic reactions: The diagenesis of 5alpha-cholest-7-ene., In *Organic Geochemistry: Developments and Applications to energy, climate, environment and human history* (Grimalt, J. A., Grimalt, J. O., and Dorronsoro, C., Eds.), pp 141-143, Donostia, San Sebastian.
- van Bergen, P. F., Moerkerken, P., Barrie, P. J., Collinson, M. E., and **de Leeuw, J. W.** (1995) Sporopollenin revisited., In *Organic Geochemistry: Developments and Applications to energy, climate, environment and human history* (Grimalt, J. A., Ed.), pp 986-988, A.I.G.O.A., Donostia- San Sebastián.
- van Bergen, P. F., Collinson, M. E., Scott, A. C., and **de Leeuw, J. W.** (1995) Unusual resin chemistry from Upper Carboniferous Pteridosperm resin rodlets., In *Amber, Resinite and Fossil Resin* (Anderson, K. B., and Crelling, J. C., Eds.) Ser.617 ed., pp 149-169, American Chemical Society.
- van Bergen, P. F., Collinson, M. E., Briggs, D. E. G., **de Leeuw, J. W.**, Scott, A. C., Evershed, R. P., and Finch, P. (1995) Resistant biomacromolecules in the fossil record., *Acta Botanica Neerlandica* 44, 319-342.
- Tegelaar, E. W., Hollman, G., van der Vegt, P., **de Leeuw, J. W.**, and Holloway, P. J. (1995) Chemical characterization of the periderm tissue of some angiosperm species: recognition of an insoluble, non-hydrolyzable, aliphatic biopolymer (Suberan). *Org. Geochem* 23, 239-250.
- Sinninghe Damsté, J. S., van Duin, A. C. T., Hollander, D., Kohnen, M. E. L., and **de Leeuw, J. W.** (1995) Early diagenesis of bacteriohopanepolyol derivatives: Formation of fossil homohopanoids, *Geochimica et Cosmochimica Acta* 59, 5141-5157.
- Sinninghe Damsté, J. S., Koopmans, M. P., Köster, J., Van Kaam-Peters, H. M. E., Kenig, F., Schouten, S., and **de Leeuw, J. W.** (1995) Molecular palaeontological evidence for photic zone anoxia in past depositional environments, In *Organic Geochemistry: Developments and applications to energy, climate, environment and human history*, pp 55-58, Donostia, San Sebastián.
- Sinninghe Damsté, J. S., Kenig, F., Koopmans, M. P., Köster, J., Schouten, S., Hayes, J. M., and **de Leeuw, J. W.** (1995) Evidence for gammacerane as an indicator of water column stratification, *Geochimica et Cosmochimica Acta* 59, 1895-1900.
- Sinninghe Damsté, J. S., Kenig, F., Gelin, F., Frewin, N., Hayes, J. M., Harrison, W. N., Maxwell , J. R., and **de Leeuw, J. W.** (1995) Molecular indicators of palaeoenvironmental change in a Messinian evaporitic sequence (Vena del Gesso, Italy), In *Organic Geochemistry: Developments and applications to energy, climate, environment and human history*, pp 113-115, Donostia, San Sebastian.
- Sinninghe Damsté, J. S., Frewin, N. L., Kenig, F., and **de Leeuw, J. W.** (1995) Molecular indicators for palaeoenvironmental change in a Messinian evaporitic sequence (Vena del Gesso, Italy). 1. Variations in extractable organic-matter of 10 cyclically deposited marl beds, *Organic Geochemistry* 23, 471-483.
- Sinninghe Damsté, J. S., Erkes, A.-E. W. E. P., Rijpstra, W. I. C., **de Leeuw, J. W.**, and Wakeham, S. G. (1995) C₃₂-C₃₆ polymethyl alkenes in Black Sea sediments, *Geochimica et Cosmochimica Acta* 59, 347-353.
- Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1995) Comments on "Biomarkers or not biomarkers. A new hypothesis for the origin of pristane involving derivation from methyltrimethyltridecylchromans

- (MTTC's) formed during diagenesis from chlorophyll and alkylphenols" from M. Li, S.R. Larter, D.Taylor,D.M.jones, b.bowler and m.Bjorøy, *Org. Geochem* 23, 1085-1087.
- Schouten, S., Sinninghe Damsté, J. S., Kohnen, M. E. L., and **de Leeuw, J. W.** (1995) The effect of hydrosulphurization on the carbon isotopic composition of free and sulphur-bound lipids., *Geochimica et Cosmochimica Acta* 59, 1605-1609.
- Schouten, S., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1995) The occurrence and distribution of low-molecular-weight sulphoxides in polar fractions of sediment extracts and petroleum., *Organic Geochemistry* 23, 129-138.
- Schouten, S., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1995) A novel triterpenoid carbon skeleton in immature sulfur-rich sediments, *Geochimica et Cosmochimica Acta* 59, 953-958.
- Schouten, S., Sinninghe Damsté, J. S., Baas, M., Kok-van Dalen, A. C., Kohnen, M. E. L., and **de Leeuw, J. W.** (1995) Quantitative assessment of mono- and polysulphide-linked carbon skeletons in sulphur-rich macromolecular aggregates present in bitumens and oils, *Organic Geochemistry* 23, 765-775.
- Schouten, S., Schoell, M., Rijpstra, W. I. C., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1995) Recognition of regional variations in the depositional environment of the Monterey Formation by compound-specific isotope analysis, In *Organic Geochemistry: Developments and applications of energy, climate, environment and human history*, pp 7-9, A.I.G.O.A./ ISBN 84-605-3297-6, Donostia, The Basque Country- Spain, San Sebastian.
- Schouten, S., Eglinton, T. I., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1995) Influence of sulphur cross-linking on the molecular-size distribution of sulphur-rich macromolecules in bitumen, In *Geochemical Transformations of Sedimentary Sulfur* ACS Symposium Series 612 ed., pp 80-92, American Chemical Society, Washington DC.
- Saiz-Jimenez, C., Ortega-Calvo, J. J., and **de Leeuw, J. W.** (1995) The chemical structure of fungal melanins and their possible contribution to black stains in stone monuments, *Science of the Total Environment* 167, 305-314.
- Pool, W. G., **de Leeuw, J. W.**, and van de Graaf, B. (1995) Automated processing of GC/MS data by a repetitive backfolding of the first differential., In *Organic Geochemistry: Developments and Applications to energy, climate, environment and human history*, pp 775-778, A.I.G.O.A., Donostia -San Sebastian.
- Peulvé, S., van Heemst, J. D. H., **de Leeuw, J. W.**, Klein Breteler, W., Sicre, M.-A., and Saliot, A. (1995) Preservation of organic matter during water column transport., In *Organic Geochemistry: Developments and Applications to energy, climate, environment and human history*, pp 1165-1169, A.I.G.O.A., Donostia -San Sebastian.
- Largeau, C., and **de Leeuw, J. W.** (1995) Insoluble, nonhydrolyzable, aliphatic macromolecular constituents of microbial cell walls., In *Advances in microbial ecology* (Jones, J. G., Ed.), pp 77-117, Plenum Press, New York.
- Lai, W.-C., Song, C., van Duin, A., and **de Leeuw, J. W.** (1995) Zeolite-Catalysed Ring-Shift Isomerization of sym-Octahydrophenanthrene into sym-Octahydroanthracene., *ACS Div. Fuel Chem Prep.of Papers* 40, 1007-1012.
- Köster, J., Schouten, S., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1995) Reconstruction of the depositional environment of Toarcian marlstones (Allgäu Formation, Tyrol/Austria) using biomarkers and compound specific carbon isotope analysis, In *Organic Geochemistry: Developments and applications to energy, climate, environment and human history* (Grimalt, J. O., and Dorronsoro, C., Eds.), pp 74-76, Donostia, San Sebastián.
- Köster, J., Rospondek, M., Zubrzycki, A., Kolouba, M., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1995) A molecular organic geochemical study of black shales associated with diatomites from the Oligocene Meinilite Shale (Flysch Carpathians, SE Poland). In *Organic Geochemistry*:

- Developments and Applications to energy, climate, environment and human history* (Grimalt, J. A., Ed.), pp 87-90, Donostia, San Sebastian.
- Koopmans, M. P., Sinninghe Damsté, J. S., Rijpstra, W. I. C., Lewan, M. D., and **de Leeuw, J. W.** (1995) Impact of dia- and catagenesis on sulphur sequestration of biomarkers in sediments as revealed by artificial maturation., In *Developments and Applications to energy, climate, environment and human history* (Grimalt, J. A., Ed.), pp 1033-1036.
- Koopmans, M. P., Sinninghe Damsté, J. S., Lewan, M. D., and **de Leeuw, J. W.** (1995) Thermal stability of thiophene biomarkers as studied by hydrous pyrolysis., *Org. Geochem* 23, 583-596.
- Kenig, F., Sinninghe Damsté, J. S., Kock-van Dalen, A. C., Rijpstra, W. I. C., Huc, A. Y., and **de Leeuw, J. W.** (1995) Occurrence and origin of mono-, di-, and trimethylalkanes in modern and Holocene cyanobacterial mats from Abu Dhabi, United Arab Emirates., *Geochimica et Cosmochimica Acta* 59, 2999-3015.
- Hooker, J. J., Collinson, M. E., van Bergen, P. F., Singer, R. L., **de Leeuw, J. W.**, and Jones, T. P. (1995) Reconstruction of land and fresh water palaeoenvironments near the Eocene-Oligocene boundary, S. England., *Journal of the Geological Society* 152, 449-468.
- Hoefs, M. J. L., van Heemst, J. D. H., Gelin, F., Koopmans, M. P., Van Kaam-Peters, H. M. E., Schouten, S., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1995) Alternative biological sources for 1,2,3,4-tetramethylbenzene in flash pyrolysates of kerogen, *Organic Geochemistry* 23, 975-979.
- Hoefs, M. J. L., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1995) Organic Geochemistry of Arabian Sea Surface Sediments: Paleoenvironmental Implications., In *Organic Geochemistry: Developments and Applications to energy, climate, environment and human history*, pp 158-161, Donostia, San Sebastian.
- Hartgers, W. A., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, Ling, Y., and Crelling, J. C. (1995) The influence of mineral matter on the separation of amorphous marine kerogens using density gradient centrifugation., *Org. Geochem* 23, 777-784.
- Hartgers, W. A., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, Allan, J., Requejo, A. G., and Hayes, J. M. (1995) Organic carbon in sediments. Reply on comments by Head et al., *Nature* 373, 293-294.
- Gelin, F., Sinninghe Damsté, J. S., Harrison, W. N., Maxwell, J. R., and **de Leeuw, J. W.** (1995) Molecular indicators for paleoenvironmental change in a messinian evaporitic sequence (Vena del Gesso, Italy). III. Stratigraphic changes in the molecular-structure of kerogen in a single marl bed as revealed by flash pyrolysis, *Organic Geochemistry* 23, 555-566.
- Ficken, K. J., Bosch, H.-J., Brinkhuis, H., and **de Leeuw, J. W.** (1995) Long term productivity changes and possible event related biomarkers at the K/T boundary., In *Developments and Applications to energy, climate, environment and human history* (Grimalt, J. A., Ed.), pp 853-857, A.I.G.O.A., Donostia- San sebastian.
- de Leeuw, J. W.**, Rijpstra, W. I. C., and Nienhuis, P. H. (1995) Free and bound fatty acids and hydroxy fatty acids in the living and decomposing eelgrass *Zostera marina L.*, *Org. Geochem* 23, 721-728.
- de Leeuw, J. W.**, Gelin, F., and Sinninghe Damsté, J. S. (1995) Selective preservation of organic matter in the marine environment: where are we?, In *Organic Geochemistry: Developments and Applications to energy, climate, environment and human history*, pp 814-817, Donostia, San Sebastian.
- de Leeuw, J. W.**, Frewin, N. L., van Bergen, P. F., Sinninghe Damsté, J. S., and Collinson, M. E. (1995) Organic carbon as a palaeoenvironmental indicator in the marine realm, In *Marine Palaeoenvironmental Analysis from Fossils* 83 ed., pp 43-71, Geological Society, London.
- de Graaf, W., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1995) Low-temperature addition of hydrogen polysulfides to olefins: formation of 2,2'-dialkyl polysulfides from alk-1-enes and cyclic (poly)sulfides and polymeric organic sulfur compounds from α,ω -dienes, *J. Chem. Soc. Perk. T. 1*, 635-640.

Baas, M., Briggs, D. E. G., van Heemst, J. D. H., Kear, A. J., and **de Leeuw, J. W.** (1995) Selective preservation of chitin during the decay of shrimp, *Geochimica et Cosmochimica Acta* 59, 945-951.

1994

- Veld, H., **de Leeuw, J. W.**, Sinninghe Damsté, J. S., and Fermont, W. J. J. (1994) Molecular characterization of vitrinite maturation as revealed by flash pyrolysis methods., In *Vitrinite Reflectance as a maturity parameter. Applications and limitations.* (Mukhopadhyay, P. K., and Dow, W. G., Eds.) Ser.570 ed., pp 149-160, Washington.
- van Bergen, P. F., Scott, A. C., Barrie, P. J., **de Leeuw, J. W.**, and Collinson, M. E. (1994) The chemical composition of Upper Carboniferous pteridosperm cuticles., *Org. Geochem* 21, 107-112.
- van Bergen, P. F., Goñi, M., Barrie, P. J., Collinson, M. E., Sinnenhe Damsté, J. S., and **de Leeuw, J. W.** (1994) Chemical and microscopic characterization of outer seed coats of fossil and extant water plants., *Geochim. Cosmochim. Acta* 58, 3823-3844.
- van Bergen, P. F., Collinson, M. E., Sinnenhe Damsté, J. S., and **de Leeuw, J. W.** (1994) Chemical and microscopic characterization of inner seed coats of fossil water plants., *Geochim. Cosmochim. Acta* 58, 231-239.
- van Bergen, P. F., Collinson, M. E., Hatcher, P. J., and **de Leeuw, J. W.** (1994) Lithological control on the state of preservation of fossil seed coats of water plants., *Org. Geochem* 22, 683-702.
- van Bergen, P. F., Collinson, M. E., and **de Leeuw, J. W.** (1994) Molecular Palaeobotany of "propagules". In *Biomolecular Palaeontology.* (Eglinton, G., and Kay, R. L. F., Eds.) Lyell Meeting Volume, Special Publ.No.94/1 of the NERC Earth Sciences Directorate ed., pp 21-24, NERC Earth Sciences Directorate.
- van Aarssen, B. G. K., **de Leeuw, J. W.**, Collinson, M. E., Boon, J. J., and Goth, K. (1994) Occurrence of polycadinene in fossil and recent resins., *Geochim. Cosmochim. Acta* 58, 223-229.
- Sinninghe Damsté, J. S., Rijpstra, W. I. C., **de Leeuw, J. W.**, and Lijmbach, G. W. M. (1994) Molecular characterization of organically-bound sulfur in crude oils. A feasibility study for the application of Raney Ni desulfurization as a new method to characterize crude oils, *Hrc-Journal of High Resolution Chromatography* 17, 489-500.
- Sicre, M.-A., Peulvé, S., Saliot, A., **de Leeuw, J. W.**, and Baas, M. (1994) Molecular characterization of the organic fraction of suspended matter in the surface waters and bottom nepheloid layer of the Rhone delta using analytical pyrolysis., *Org. Geochem* 21, 11-26.
- Schouten, S., Sinnenhe Damsté, J. S., Schoell, M., and **de Leeuw, J. W.** (1994) A novel sterane, 27-nor-24-methyl-5 α -cholestane, in sediments, *Geochimica et Cosmochimica Acta* 58, 3741-3745.
- Schouten, S., de Graaf, W., Sinnenhe Damsté, J. S., van Driel, G. B., and **de Leeuw, J. W.** (1994) Laboratory simulation of natural sulphurization: II. Reaction of multi-functionalized lipids with inorganic polysulphides at low temperatures, *Organic Geochemistry* 22, 825-834.
- Schoell, M., Schouten, S., Sinnenhe Damsté, J. S., **de Leeuw, J. W.**, Summons, R. E., and Summons, R. E. (1994) A molecular organic carbon isotope record of Miocene climate changes, *Science* 263, 1122-1125.
- Rospondok, M. J., Baas, M., **de Leeuw, J. W.**, van Bergen, P. F., and Leereveld, H. (1994) The role of organically bound sulphur in stratiform ore sulphide deposits., *Org. Geochem* 21, 1181-1191.
- Moers, M. E. C., Baas, M., and **de Leeuw, J. W.** (1994) Origin and diagenesis of carbohydrates in ancient sediments., *Org. Geochem* 21, 1093-1107.
- Kögel-Knabner, I., **de Leeuw, J. W.**, Tegelaar, E. W., Hatcher, P. G., and Kerp, H. (1994) A lignin-like polymer in the cuticle of spruce needles: implication for the humification of spruce litter., *Org. Geochem* 21, 1219-1229.

- Kenig, F., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, and Hayes, J. M. (1994) Molecular palaeontological evidence for food-web relationships., *Naturwissenschaften* 81, 128-130.
- Hartgers, W. A., Sinninghe Damsté, J. S., Requejo, A. G., Allan, J., Hayes, J. M., and **de Leeuw, J. W.** (1994) Evidence for a small bacterial contribution to sedimentary organic carbon., *Nature* 369, 224-227.
- Hartgers, W. A., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, Ling, Y., and Dyrkacz, G. R. (1994) Molecular characterization of flash pyrolysates of two carboniferous coals and their constituting maceral fractions, *Energy & Fuels* 8, 1055-1067.
- Hartgers, W. A., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1994) Curie-point pyrolysis of sodium salts of functionalized fatty acids, *Journal of Analytical and Applied Pyrolysis* 34, 191-217.
- Hartgers, W. A., Ling, Y., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, and Dyrckacz, G. (1994) Characterization of flash pyrolysates of two Carboniferous coals and their constituting maceral fractions., *Energy & Fuels* 8, 1055-1067.
- Gelin, F., **de Leeuw, J. W.**, Sinninghe Damsté, J. S., Derenne, S., Largeau, C., and Metzger, P. (1994) The similarity of chemical structures of soluble aliphatic polyaldehyde and insoluble algaenan in the green microalga *Botryococcus braunii* race A as revealed by analytical pyrolysis., *Org. Geochem* 21, 423-435.
- Gelin, F., **de Leeuw, J. W.**, Sinninghe Damsté, J. S., Derenne, S., Largeau, C., and Metzger, P. (1994) Scope and limitations of flash pyrolysis-gas chromatography-mass spectrometry as revealed by the thermal behaviour of high-molecular-weight lipids derived from the green microalga *Botryococcus braunii*., *Journal of Analytical and Applied Pyrolysis* 28, 183-204.
- Collinson, M. E., van Bergen, P. F., Scott, A. C., and **de Leeuw, J. W.** (1994) The oil-generating potential of plants from coal and coal-bearing strata through time: a review with new evidence from Carboniferous plants, In *Coal and Coal-bearing Strata as Oil-prone Source Rocks?* 77 ed., pp 31-70, Geological Society Special Publication, London.

1993

- van Heemst, J. D. H., Baas, M., **de Leeuw, J. W.**, and Benner, R. (1993) Molecular characterization of marine dissolved organic matter (DOM), In *Organic Geochemistry*, pp 695-698, Falch Hurtigtrykk, Oslo.
- van Duin, A. C. T., Baas, J. M. A., van der Graaf, B., **de Leeuw, J. W.**, Bastow, T. P., and Alexander, R. (1993) Comparison of experimental and calculated thermodynamic values of alkylnaphthalenes; An approach to recognize maturity changes in source rocks and crude oils., In *Organic Geochemistry*, pp 194-197, Falch Hurtigtrykk, Oslo.
- van Bergen, P. F., Collinson, M. E., and **de Leeuw, J. W.** (1993) Chemical composition and ultrastructure of fossil and extant salvinialean microspore massulae and megaspores., *Grana suppl.1*, 18-30.
- van Aarsen, B. G. K., and **de Leeuw, J. W.** (1993) Comments on: "Extraction and methylation on Latrone Valley resinites" by M.A. Wilson, J.V. Hanna, P.A. Cole-Uarhe, G.D. Willet and P.F. Greenwood., *Org. Geochem* 20, 105-106.
- Tegelaar, E. W., Wattendorff, J., and **de Leeuw, J. W.** (1993) Possible effects of chemical heterogeneity in higher plant cuticles on the preservation of its ultrastructure upon fossilization., *Review of Palaeobotany & Palynology* 77, 149-170.
- Sinninghe Damsté, J. S., Wakeham, S. G., Kohnen, M. E. L., Hayes, J. M., and **de Leeuw, J. W.** (1993) A 6,000-year sedimentary molecular record of chemocline excursions in the Black Sea, *Nature* 362, 827-829.
- Sinninghe Damsté, J. S., Keely, B. J., Betts, S. E., Baas, M., Maxwell, J. R., and **de Leeuw, J. W.** (1993) Variations in abundances and distributions of isoprenoid chromans and long-chain alkylbenzenes in sediments of the Mulhouse Basin: A molecular sedimentary record of palaeosalinity, *Organic Geochemistry* 20, 1201-1215.

- Sinninghe Damsté, J. S., Hartgers, W. A., Baas, M., and **de Leeuw, J. W.** (1993) Characterization of high-molecular-weight organic matter in marls of the Salt IV Formation of the Mulhouse Basin, *Organic Geochemistry* 20, 1237-1251.
- Sinninghe Damsté, J. S., Erkes, A.-E. W. E. P., Rijpstra, W. I. C., Kohnen, M. E. L., **de Leeuw, J. W.**, and Wakeham, S. G. (1993) Identification of highly unsaturated hydrocarbons with unprecedented carbon skeletons in surface sediments of the Black Sea., In *Organic Geochemistry* (Øygard, K., Ed.), pp 513-515, Falch Hurtigtrykk, Oslo.
- Sinninghe Damsté, J. S., **de Leeuw, J. W.**, Wakeham, S. G., Hayes, J. M., and Kohnen, M. E. L. (1993) Chemocline of the Black Sea., *Nature* 366, 416-416.
- Sinninghe Damsté, J. S., De las Heras, F. X. C., van Bergen, P. F., and **de Leeuw, J. W.** (1993) Characterization of Tertiary Catalan lacustrine oil shales: Discovery of extremely organic sulphur-rich Type I kerogens, *Geochimica et Cosmochimica Acta* 57, 389-415.
- Sinninghe Damsté, J. S., Betts, S., Ling, Y., Hofmann, P. M., and **de Leeuw, J. W.** (1993) Hydrocarbon biomarkers of different lithofacies of the Salt IV Formation of the Mulhouse Basin, France, *Organic Geochemistry* 20, 1187-1200.
- Sicre, M.-A., Peulvéd, S., Bouloubassi, I., Saliot, A., **de Leeuw, J. W.**, and Baas, M. (1993) Chemical characterization of macromolecular organic constituents and PAHs in the suspended matter from the surface waters and benthic nepheloid layer of the Rhone delta., In *Organic Geochemistry*, pp 495-500, Falch Hurtigtrykk, Oslo.
- Schouten, S., van Driel, G. B., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1993) Natural sulphurization of ketones and aldehydes: A key reaction in the formation of organic sulphur compounds, *Geochimica et Cosmochimica Acta* 57, 5111-5116.
- Schouten, S., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1993) Analysis of sequestered carbon skeletons in sulphur-rich geomacromolecules in polar and asphaltene fractions by multiple selective chemical degradation techniques., In. (Øygard, K., Ed.), pp 547-549, Falch Hurtigtrykk, Oslo.
- Schouten, S., Pavlović, D., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1993) Selective cleavage of a acyclic sulphide moieties of sulphur-rich geomacromolecules by superheated methyl iodide, *Organic Geochemistry* 20, 911-916.
- Schouten, S., Pavlović, D., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1993) Nickel Boride - An improved desulfurizing agent for sulfur-rich geomacromolecules in polar and asphaltene fractions, *Organic Geochemistry* 20, 901-909.
- Peulvéd, S., Sicre, M.-A., Lorre, A., Saliot, A., **de Leeuw, J. W.**, and Baas, M. (1993) Étude des constituants macromoléculaires des matières en suspension du delta du Rhône par pyrolyse au point de Curie: implications dans les processus de formation du néphéloïde bentique., *C. R. Acad. Sci. Paris Série II*, 471-478.
- Peulvéd, S., Sicre, M.-A., Bouloubassi, I., Saliot, A., **de Leeuw, J. W.**, and Baas, M. (1993) Macromolecular constituents of the surface and benthic nepheloid layers in the Rhone Delta: Implications for pollutant transfer such as PAHs., In *Water Pollution Research Reports* (Martin, J.-M., and Barth, H., Eds.), pp 85-91.
- Peulvéd, S., Sicre, M.-A., Bouloubassi, I., Lorre, A., Saliot, A., **de Leeuw, J. W.**, and Baas, M. (1993) Characterization of the organic matter in an Arctic delta (Lena River) using biomarkers and macromolecular indicators., In *Organic Geochemistry*, pp 393-397, Falch Hurtigtrykk, Oslo.
- Middelburg, J. J., Baas, M., ten Haven, H. L., and **de Leeuw, J. W.** (1993) Organic geochemical characteristics of sediments from Kau Bay., In *Organic Geochemistry* 5.11 ed., pp 413-417, Falch Hurtigtrykk, Oslo.
- Köster, J., Schouten, S., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1993) Palaeoenvironmental and maturity related variations in compositions of macromolecular organic matter and distributions

- of sulphur and non-sulphur biomarkers in Triassic organic-rich carbonate rocks., In *Organic Geochemistry* (Øygard, K., Ed.), pp 393-397, Falch Hurtigtrykk, Oslo.
- Koopmans, M. P., Lewan, M. D., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1993) Formation and destruction of sedimentary organically-bound sulphur: Implications for palaeoenvironmental reconstruction., pp A-20.
- Koopmans, M. P., Lewan, M. D., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1993) Maturity-related changes in abundance and composition of organic sulphur compounds and sulphur-containing geomacromolecules studied by hydrous pyrolysis., In *Organic Geochemistry*, pp 125-130, Falch Hurtigtrykk, Oslo.
- Kohnen, M. E. L., Sinninghe Damsté, J. S., Baas, M., Kock-van Dalen, A. C., and **de Leeuw, J. W.** (1993) Sulphur-bound steroid and phytane carbon skeletons in geomacromolecules: Implications for the mechanism of incorporation of sulphur into organic matter., *Geochim. Cosmochim. Acta* 57, 2515-2528.
- Keely, B. J., Sinninghe Damsté, J. S., Betts, T. J., Yue, L., **de Leeuw, J. W.**, and Maxwell, J. R. (1993) A molecular stratigraphic approach to palaeoenvironmental assessment and the recognition of changes in source inputs in marls of the Mulhouse Basin (Alsace, France), *Org. Geochem* 20, 1165-1186.
- Hollander, D. J., Sinninghe Damsté, J. S., Hayes, J. M., **de Leeuw, J. W.**, and Huc, A. Y. (1993) Molecular and bulk isotopic analyses of organic matter in marls of the Mulhouse basin (Tertiary, Alsace, France). *Org. Geochem* 20, 1253-1263.
- Hofmann, P., Huc, A. Y., Carpentier, B., Schaeffer, P., Albrecht, P., Keely, B. J., Maxwell, J. R., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, and Leythaeuser, D. (1993) Organic matter of the Mulhouse Basin, France: A synthesis., *Org. Geochem* 20, 1105-1123.
- Gelin, F., Gatellier, J.-P. L. A., Sinninghe Damsté, J. S., Metzger, P., Derenne, S., Largeau, C., and **de Leeuw, J. W.** (1993) Mechanisms of flash pyrolysis of ether lipids isolated from the green microalga *Botryococcus braunii* race A., *Journal of Analytical and Applied Pyrolysis* 27, 155-168.
- Gelin, F., **de Leeuw, J. W.**, Sinninghe Damsté, J. S., Derenne, S., Largeau, C., and Metzger, P. (1993) Contribution of the aliphatic polyaldehyde of *Botryococcus braunii* a race to the formation of algal kerogens., In *Organic Geochemistry*, pp 509-512, Falch Hurtigtrykk, Oslo.
- Gatellier, J.-P. L. A., **de Leeuw, J. W.**, Sinninghe Damsté, J. S., Largeau, C., and Metzger, P. (1993) A comparative study of molecular substances of a Coorongite and cell walls of the extant alga *Botryococcus braunii*, *Geochimica et Cosmochimica Acta* 57, 2053-2068.
- Frewin, N. L., Killops, S. D., van Bergen, P. F., **de Leeuw, J. W.**, and Collinson, M. E. (1993) Preservation potential of biomacromolecules of higher plant cuticles in Florida Bay., In *Organic Geochemistry* (Øygard, K., Ed.), pp 566-569, Falch Hurtigtrykk, Oslo.
- Fredrickson, H. L., Cappenberg, T. E., Klöppel, K.-D., van Tongeren, O., and **de Leeuw, J. W.** (1993) Polar lipid analysis as a means to profile lake Vechten's microbial community structures., In *Trends in Microbial Ecology*, pp 363-366, Barcelona.
- de Leeuw, J. W.**, and Largeau, C. (1993) A review of macromolecular organic compounds that comprise living organisms and their role in kerogen, coal and petroleum formation., In *Organic Geochemistry*. (Ed.), pp 23-63, Falch Hurtigtrykk.
- de Leeuw, J. W.**, Cox, H. C., Baas, M., Peakman, T. M., van de Graaf, B., and Baas, J. M. A. (1993) Relative stabilities of sedimentary rearranged sterenes as calculated by molecular mechanics: a key to unravel further steroid diagenesis, *Org. Geochem* 20, 1297-1302.
- de Leeuw, J. W.**, and Baas, M. (1993) The behaviour of esters in the presence of tetramethylammonium salts at elevated temperatures; flash pyrolysis or flash chemolysis?, *Journal of Analytical and Applied Pyrolysis* 26, 175-184.

1992

- van Aarssen, B. G. K., Hessels, J. K. C., Abbink, O. A., and **de Leeuw, J. W.** (1992) The occurrence of polycyclic sesqui-, tri- and oligoterpenoids derived from a resinous polymeric cadinene in crude oils from South East Asia., *Geochim. Cosmochim. Acta* 56, 1231-1246.
- van Aarssen, B. G. K., **de Leeuw, J. W.**, and Zhang, Q. (1992) An unusual distribution of bicadinanes, tricadinanes and oligocadinanes in sediments from the Yacheng Gasfield, China., *Org. Geochem* 18, 805-812.
- van Aarssen, B. G. K., and **de Leeuw, J. W.** (1992) High-molecular mass substances in resinites as possible precursors of specific hydrocarbons in fossil fuels., *Org. Geochem* 19, 315-326.
- Sinninghe Damsté, J. S., Eglinton, T. I., and **de Leeuw, J. W.** (1992) Alkylpyrroles in a kerogen pyrolysate: Evidence for abundant tetrapyrrole pigments, *Geochimica et Cosmochimica Acta* 56, 1743-1751.
- Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1992) Organically bound sulphur in coal: A molecular approach, *Fuel Processing Technology* 30, 109-178.
- Sinninghe Damsté, J. S., De las Heras, F. X. C., and **de Leeuw, J. W.** (1992) Molecular analysis of sulphur-rich brown coals by flash pyrolysis-gas chromatography-mass spectrometry. The Type III-S kerogen, *Journal of Chromatography* 607, 361-376.
- Rechka, J. A., Cox, H. C., Peakman, T. M., **de Leeuw, J. W.**, and Maxwell , J. R. (1992) A reinvestigation of aspects of the early diagenetic pathways of 4-methylsterenes based on molecular mechanics calculations and the acid catalysed rearrangement of 4-methylcholest-4-ene., In *Biological Markers in Sediments and Petroleum*, pp 42-57, Prentice Hall, New Jersey.
- Pool, W. G., **de Leeuw, J. W.**, and van de Graaf, B. (1992) Simulation of GC-MS data: A tool to optimize data analysis and instrumental parameters., *Computers Chem* 16, 295-301.
- Peakman, T. M., **de Leeuw, J. W.**, and Rijpstra, W. I. C. (1992) Identification and origin of $\Delta^{8(14)}5\alpha$ - and $\Delta^{14}5\alpha$ -sterenes and related hydrocarbons in an immature bitumen from the Monterey Formation, California, *Geochimica et Cosmochimica Acta* 56, 1223-1230.
- Nip, M., **de Leeuw, J. W.**, and Crelling, J. C. (1992) Chemical structure of bituminous coal and its constituting maceral fractions as revealed by flash pyrolysis., *Energy & Fuels* 6, 125-136.
- Kohnen, M. E. L., Schouten, S., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, Merrit, D., and Hayes, J. M. (1992) The combined application of organic sulphur and isotope geochemistry to assess multiple sources of palaeobiochemicals with identical carbon skeletons, *Organic Geochemistry* 19, 403-419.
- Kögel-Knabner, I., Hatcher, P. G., Tegelaar, E. W., and **de Leeuw, J. W.** (1992) Aliphatic components of forest soil organic matter as determined by solid-state ^{13}C -NMR and analytical pyrolysis., *Science of the Total Environment* 113, 89-106.
- Kögel-Knabner, I., **de Leeuw, J. W.**, and Hatcher, P. G. (1992) Nature and distribution of alkylcarbon in forest soil profiles: Implications for the origin and humification of aliphatic biomacromolecules., *Sci. Total Environ* 117/118, 175-185.
- Ikan, R., Ioselis, P., Rubinsztain, Y., Aizenshtat, Z., Miloslavsky, I., Yariv, S., Pugmire, R., Anderson, L. L., Woolfenden, W. R., Kaplan, I. R., Dorsey, T., Peters, K. E., Boon, J. J., **de Leeuw, J. W.**, Ishiwatari, R., Morinaga, S., Yamamoto, S., Macihara, T., Muller-Vonmoos, M., and Rub, A. (1992) Chemical, isotopic, spectroscopic and geochemical aspects of natural and synthetic humic substances., *Sci. Total Environ* 117/118, 1-12.
- Hartgers, W. A., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1992) Identification of C₂-C₄ alkylated benzenes in flash pyrolysates of kerogens, coals and asphaltenes., *Journal of Chromatography* 606, 211-220.
- Eglinton, T. I., Sinninghe Damsté, J. S., Pool, W., **de Leeuw, J. W.**, Eijkel, G., and Boon, J. J. (1992) Organic sulphur in macromolecular sedimentary organic matter. II. Analysis of distributions of sulphur-

- containing pyrolysis products using multivariate techniques., *Geochim. Cosmochim. Acta* 56, 1545-1560.
- Douglas, A. G., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, Eglinton, T. I., and Fowler, M. G. (1992) Distribution and structure of hydrocarbons and heterocyclic sulphur compounds released from four kerogens of Ordovician age by means of flash pyrolysis, In *Early Organic Evolution. Implications for mineral and energy resources*, pp 267-278, Springer-Verlag, Berlin, Heidelberg, New York.
- Disnar, J. R., Gauthier, B., and **de Leeuw, J. W.** (1992) Recognition of a series of major contaminants in earlier reported analyses of organic matter in Zn-Ph ore bodies from Trèves (France). *Org. Geochem* 18, 579-582.
- Derenne, S., Metzger, P., Largeau, C., van Bergen, P. F., Gatellier, J. P., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, and Berkaloff, C. (1992) Similar morphological and chemical variations of Gloeocapsomorpha prisca in Ordovician sediments and cultured *Botryococcus braunii* as a response to changes in salinity., *Organic Geochemistry* 19, 299-231.
- de Leeuw, J. W.**, Rijpstra, W. I. C., and Mur, L. R. (1992) The absence of long-chain alkyl diols and alkyl keto-1-ols in cultures of the cyanobacterium *Aphanizomenon flos-aquae*, *Org. Geochem* 18, 575-578.
- de Leeuw, J. W.**, and Hatcher, P. G. (1992) Comments on "A chemical structure for humic substances" by H.-R. Schulten, B. Plage and M. Schnitzer., *Naturwissenschaften*, 330-331.
- de Graaf, W., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1992) Laboratory simulation of natural sulphurization: I. Formation of monomeric and oligomeric isoprenoid polysulphides by low-temperature reactions of inorganic polysulphides with phytol and phytadienes, *Geochimica et Cosmochimica Acta* 56, 4321-4328.
- Collins, M. J., Muyzer, G., **de Leeuw, J. W.**, and Westbroek, P. (1992) Experimental evidence for condensation reactions between sugars and proteins., *Geochimica et Cosmochimica Acta* 56, 1539-1544.

1991

- Veld, H., Fermont, W. J. J., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1991) The effects of early diagenetic bacterial sulphate reduction upon the petrology and chemistry of coal., Proceedings of the 1991 International Conference on Coal Science (IEA Coal Research, ed.) ed., pp 143-146.
- van Bergen, P. F., Collinson, M. E., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1991) A novel polyphenol biopolymer isolated from fossil seeds: an alternative source for (alkyl) phenol moieties in coals., *Preprints of Papers - American Chemical Society, Division of Fuel Chemistry* 36, 698-701.
- van Bergen, P. F., Collinson, M. E., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1991) A newly discovered polyphenolic substance in seed walls as an alternative source for phenol moieties in brown coals., In *Advances and Applications in Energy and the Natural Environment* (Manning, D., Ed.) 19 ed., pp 458-460, Univ. Press, Manchester, Manchester.
- van Aarssen, B. G. K., Horsfield, B., and **de Leeuw, J. W.** (1991) A comparative study of three different pyrolysis methods used to characterise a biopolymer isolated from fossil and extant dammar resins., *Journal of Analytical and Applied Pyrolysis* 20, 125-140.
- van Aarssen, B. G. K., and **de Leeuw, J. W.** (1991) Structural elucidation of polymeric diterpenoids in fossil gymnosperm resins by means of pyrolysis combined with GC-MS., *Prepr. Am. Chem. Soc. - Div. Fuel Chem* 36, 774-780.
- Tegelaar, E. W., Kerp, J. H. F., Visscher, H., Schenck, P. A., and **de Leeuw, J. W.** (1991) Bias of the palaeobotanical record as a consequence of variations in the chemical composition of higher vascular plant cuticles., *Palaeobiology* 17, 133-144.

- Sinninghe Damsté, J. S., Kock-van Dalen, A. C., Albrecht, P. A., and **de Leeuw, J. W.** (1991) Identification of long-chain 1,2-di-*n*-alkylbenzenes in Amposta crude oil from Tarragona Basin, Spanish Mediterranean: Implications for the origin and fate of alkylbenzenes, *Geochimica et Cosmochimica Acta* 55, 3677-3683.
- Sinninghe Damsté, J. S., Eglinton, T. I., and **de Leeuw, J. W.** (1991) The presence of abundant macromolecularly-bound tetrapyrrole pigments in kerogens as determined by alkylpyrrole distributions in their flash pyrolysates., In *Advances and Applications in Energy and the Natural Environment* (Manning, D., Ed.), pp 452-454, Univ. Press, Manchester, Manchester.
- Sinninghe Damsté, J. S., Eglinton, T. I., and **de Leeuw, J. W.** (1991) Alkylpyrroles in kerogen pyrolysates: Evidence for abundant macromolecularly-bound tetrapyrrole pigments., *Preprints of Papers - American Chemical Society, Division of Fuel Chemistry* 36, 710-713.
- Schouten, S., Kohnen, M., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1991) Hydrocarbons and sulphur-bound biomarkers as indicators of palaeoenvironment changes: a study of a Messinian evaporitic basin (Vena del Gesso,Northern Italy), In *Organic Geochemistry. Advances and Application in Energy and the Natural Environment* (Manning, D., Ed.), pp 381-383, Manchester University Press, Manchester.
- Saliot, A., Marty, J. C., Ulloa-Guevara, A., Viets, T. C., **de Leeuw, J. W.**, Schenck, P. A., and Boon, J. J. (1991) Characterization of particulate organic matter in Mediterranean sea-surface films and underlying water by flash pyrolysis and gas chromatographic analyses., *Org. Geochem* 17, 329-340.
- Pool, W. G., van de Graaf, B., and **de Leeuw, J. W.** (1991) A critical evaluation of the quality of GCMS-data., In *Advances and Applications in Energy and the Natural Environment* (Manning, D., Ed.) 19 ed., pp 643-647, Manchester Univ. Press, Manchester.
- Peakman, T. M., Rullkötter, J., ten Haven, H. L., **de Leeuw, J. W.**, and Baas, J. M. A. (1991) The significance of the acid-catalysed rearrangement of olean-12-ene in determining the diagenetic fate of some higher plant triterpenoids., In *Advances and Applications in Energy and the Natural Environment* (Manning, D., Ed.) 19 ed., pp 249-252, Univ. Press, Manchester, Manchester.
- Kohnen, M. E. L., Sinninghe Damsté, J. S., ten Haven, H. L., Kock-van Dalen, A. C., Schouten, S., and **de Leeuw, J. W.** (1991) Identification and geochemical significance of cyclic di- and trisulphides with linear and acyclic isoprenoid carbon skeletons in immature sediments, *Geochimica et Cosmochimica Acta* 55, 3685-3695.
- Kohnen, M. E. L., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1991) Biases from natural sulphurization in palaeoenvironmental reconstruction based on hydrocarbon biomarker distributions, *Nature* 349, 775-778.
- Kögel-Knabner, I., Zech, W., Hatcher, P. G., and **de Leeuw, J. W.** (1991) Fate of plant components during biodegradation and humification in forest soils: evidence from structural characterization of individual biopolymers., In *Advances in Soil Organic Matter Research: The impact on Agriculture and the Environment* (Wilson, W. S., Ed.), pp 61-70, The Royal Society of Chemistry, Cambridge.
- Hartgers, W. A., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1991) Flash pyrolysis of silicon-bound hydrocarbons., *Journal of Analytical and Applied Pyrolysis* 20, 141-150.
- Hartgers, W. A., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1991) Mechanisms of hydrocarbon formation during flash pyrolysis of kerogen, *Abstracts of Papers of the American Chemical Society* 201, 107-FUEL.
- Hartgers, W. A., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1991) Alkylbenzene distributions in kerogen pyrolysates: a comparative study., In *Advances and Applications in Energy and the Natural Environment*, pp 420-423, Univ. Press, Manchester, Manchester.
- Grimalt, J., Yruela, I., Saiz-Jimenez, C., Toja, J., **de Leeuw, J. W.**, and Albaigés, J. (1991) Sedimentary lipid biochemistry of an hyper eutrophic alkaline lagoon., *Geochim. Cosmochim. Acta* 55, 2555-2577.

- Douglas, A. G., Sinninghe Damsté, J. S., Fowler, M. G., Eglinton, T. I., and **de Leeuw, J. W.** (1991) Flash pyrolysis of Ordovician kerogens: unique distributions of hydrocarbons and sulphur compounds released from the fossilised alga *Gloeocapsomorpha prisca*., *Geochim. Cosmochim. Acta* 55, 275-291.
- Douglas, A. G., Sinninghe Damsté, J. S., Fowler, M. G., Eglinton, T. I., and **de Leeuw, J. W.** (1991) Unique distributions of hydrocarbons and sulfur-compounds released by flash pyrolysis from the fossilized alga *Gloeocapsomorpha prisca*, a major constituent in one of 4 ordovician kerogens, *Geochimica et Cosmochimica Acta* 55, 275-291.
- de Leeuw, J. W.**, van Bergen, P. F., van Aarssen, B. G. K., Gatellier, J.-P. L. A., Sinninghe Damsté, J. S., and Collinson, M. E. (1991) Resistant biomacromolecules as major contributors to kerogen., *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 333, 329-337.
- de Leeuw, J. W.**, Benner, R., Bidigare, R. R., Brownawell, B., Carlson, D., Hedges, J., Mopper, K., Popp, B. N., Repeta, D. D., Tanoue, E., Volkman, J. K., and Wakeham, S. G. (1991) Workshop Report., pp 103-117.
- de Leeuw, J. W.** (1991) Recent developments in chromatographic, pyrolytic and spectrometric techniques., In *Marine Particles: Analysis and Characterization* 63 ed., pp 207-211, American Physical Union.
- Betts, S. H., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, and Hofmann, P. (1991) Facies determination in a Tertiary evaporitic sequence (Mulhouse Basin, France) with an emphasis on the assessment of palaeosalinity: a molecular organic geochemical approach., In *Advances and Applications in Energy and the Natural Environment* 19 ed., pp 343-345, Univ. Press, Manchester.

1990

- van Aarssen, B. G. K., Kruk, C., Hessels, J. K. C., and **de Leeuw, J. W.** (1990) *Cis-cis-trans*-bicadinane, a novel member of an uncommon triterpane family isolated from crude oils., *Tetrahedron Letters* 31, 4645-4648.
- van Aarssen, B. G. K., Cox, H. C., Hoogendoorn, P., and **de Leeuw, J. W.** (1990) A cadinene biopolymer in fossil and extant dammar resins as a source for cadinenes and bicadenanes in crude oils from South East Asia., *Geochimica et Cosmochimica Acta* 54, 3021-3031.
- ten Haven, H. L., Rullkötter, J., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1990) Distribution of organic sulphur compounds in Mesozoic and Cenozoic sediments from the Atlantic and Pacific Oceans and the Gulf of California., In *Geochemistry of Sulfur in Fossil Fuels; ACS Symp.Series* 429 (Orr, W. L., and White, C. M., Eds.) 429 ed., pp 613-632, Amer. Chem. Soc., Washington,DC.
- Sinninghe Damsté, J. S., Kohnen, M. E. L., and **de Leeuw, J. W.** (1990) Thiophenic biomarkers for palaeoenvironmental assessment and molecular stratigraphy, *Nature* 345, 609-611.
- Sinninghe Damsté, J. S., Eglinton, T. I., Rijpstra, W. I. C., and **de Leeuw, J. W.** (1990) Characterisation of organically-bound sulfur, in high-molecular-weight sedimentary organic matter using flash-pyrolysis and Raney Ni desulfurisation., In *Geochemistry of Sulfur in Fossil Fuels* (Orr, W. L., and White, C. M., Eds.) Series 429 ed., pp 486-528, Amer. Chem. Soc., Washington DC.
- Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1990) Analysis, structure and geochemical significance of organically-bound sulphur in the geosphere: State of the art and future research, *Organic Geochemistry* 16, 1077-1101.
- Moers, M. E. C., Boon, J. J., **de Leeuw, J. W.**, and Baas, M. (1990) Molecular characterization of total organic matter and carbohydrates in peat samples from a cypress swamp by pyrolysis-mass spectrometry and wet-chemical methods., *Biogeochemistry* 11, 251-277.

- Moers, M. E. C., Baas, M., **de Leeuw, J. W.**, and Schenck, P. A. (1990) Analysis of neutral monosaccharides in marine sediments from the equatorial eastern Atlantic., *Org. Geochem* 15, 367-373.
- Moers, M. E. C., Baas, M., **de Leeuw, J. W.**, Boon, J. J., and Schenck, P. A. (1990) Occurrence and origin of carbohydrates in peat samples from a mangrove environment, as reflected by abundances of neutral monosaccharides., *Geochim. Cosmochim. Acta* 54, 2463-2472.
- Kohnen, M. E. L., Sinninghe Damsté, J. S., Rullkötter, J., ten Haven, H. L., and **de Leeuw, J. W.** (1990) Origin and diagenetic transformations of C₂₅ and C₃₀ highly branched isoprenoid sulfur-compounds - Further evidence for the formation of organically bound sulfur during early diagenesis, *Geochimica et Cosmochimica Acta* 54, 3053-3063.
- Kohnen, M. E. L., Sinninghe Damsté, J. S., Rijpstra, W. I. C., and **de Leeuw, J. W.** (1990) Alkylthiophenes as sensitive indicators of palaeoenvironmental changes: A study of a Cretaceous oil shale from Jordan., In *Geochemistry of Sulfur in Fossil Fuels ;ACS Symp.Series* 429 (Orr, W. L., and White, C. M., Eds.) 429 ed., pp 444-485, Amer. Chem. Soc., Washington DC.
- Kohnen, M. E. L., Peakman, T. M., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1990) Identification and occurrence of novel C₃₆-C₅₄ 3,4-dialkylthiophenes with an unusual carbon skeleton in immature sediments., *Organic Geochemistry* 16, 1103-1113.
- Eglinton, T. I., Sinninghe Damsté, J. S., Kohnen, M. E. L., **de Leeuw, J. W.**, Larter, S. R., and Patience, R. L. (1990) Analysis of maturity-related changes in organic sulfur composition of kerogens by flash pyrolysis-gas chromatography., In *Geochemistry of Sulfur in Fossil Fuels* 429 ed., pp 529-565, Amer. Chem. Soc., Washington DC.
- Eglinton, T. I., Sinninghe Damsté, J. S., Kohnen, M. E. L., and **de Leeuw, J. W.** (1990) Rapid estimation of the organic sulphur content of kerogens, coals and asphaltenes by pyrolysis-gas chromatography., *Fuel* 69, 1394-1404.
- Derenne, S., Largeau, C., Casadevall, E., Sinninghe Damsté, J. S., Tegelaar, E. W., and **de Leeuw, J. W.** (1990) Characterisation of Estonian Kukersite by spectroscopy and pyrolysis: Evidence for abundant alkyl phenolic moieties in an Ordovician, marine, Type II/I kerogen, *Organic Geochemistry* 16, 873-888.
- de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1990) Organic sulfur compounds and other biomarkers as indicators of palaeosalinity., In *Geochemistry of Sulfur in Fossil Fuels* 429 ed., pp 417-443, Amer. Chem. Soc., Washington DC.

1989

- Tegelaar, E. W., Matthezing, R. M., Jansen, J. B. H., Horsfield, B., and **de Leeuw, J. W.** (1989) Possible origin of n-alkanes in high-wax crude oils, *Nature* 342, 529-531.
- Tegelaar, E. W., **de Leeuw, J. W.**, and Saiz-Jimenez, C. (1989) Possible origin of aliphatic moieties in humic substances, *Science of the Total Environment* 81/82, 1-17.
- Tegelaar, E. W., **de Leeuw, J. W.**, Largeau, C., Derenne, S., Schulten, H.-R., Müller, R., Boon, J. J., Nip, M., and Sprenkels, J. C. M. (1989) Scope and limitations of several pyrolysis methods in the structural elucidation of a macromolecular plant constituent in the leaf cuticle of Agave americana L., *Journal of Analytical and Applied Pyrolysis* 15, 29-54.
- Tegelaar, E. W., **de Leeuw, J. W.**, and Holloway, P. J. (1989) Some mechanisms of flash pyrolysis of naturally occurring higher plant polyesters, *Journal of Analytical and Applied Pyrolysis* 15, 289-295.
- Tegelaar, E. W., **de Leeuw, J. W.**, Derenne, S., and Largeau, C. (1989) A reappraisal of kerogen formation., *Geochimica et Cosmochimica Acta* 53, 3103-3106.

- Sinninghe Damsté, J. S., van Koert, E., Kock-van Dalen, A. C., **de Leeuw, J. W.**, and Schenck, P. A. (1989) Characterisation of highly branched isoprenoid thiophenes occurring in sediments and immature crude oils, *Org. Geochem* 14, 555-567.
- Sinninghe Damsté, J. S., Rijpstra, W. I. C., Kock-van Dalen, A. C., **de Leeuw, J. W.**, and Schenck, P. A. (1989) Quenching of labile functionalised lipids by inorganic sulphur species: Evidence for the formation of sedimentary organic sulphur compounds at the early stages of diagenesis., *Geochimica et Cosmochimica Acta* 53, 1343-1355.
- Sinninghe Damsté, J. S., Rijpstra, W. I. C., **de Leeuw, J. W.**, and Schenck, P. A. (1989) The occurrence and identification of series of organic sulphur compounds in oils and sediment extracts II. Their presence in samples from hypersaline and non-hypersaline depositional environments and possible application as source, palaeoenvironmental, *Geochim. Cosmochim. Acta* 53, 1323-1341.
- Sinninghe Damsté, J. S., Eglinton, T. I., **de Leeuw, J. W.**, and Schenck, P. A. (1989) Organic sulphur in macromolecular sedimentary organic matter: I. Structure and origin of sulphur-containing moieties in kerogen, asphaltenes and coal as revealed by flash pyrolysis, *Geochimica et Cosmochimica Acta* 53, 873-889.
- Saiz-Jimenez, C., Senesi, N., and **de Leeuw, J. W.** (1989) Evidence of lignin residues in humic acids isolated from vermicomposts., *Journal of Analytical and Applied Pyrolysis* 15, 121-128.
- Peakman, T. M., ten Haven, H. L., Rechka, J. R., **de Leeuw, J. W.**, and Maxwell, J. R. (1989) Occurrence of (20R)-and (20S)- $\Delta^{8(14)}$ and Δ^{14} 5 α (H)-sterenes and the origin of 5 α (H), 14 β (H), 17 β (H)-steranes in an immature sediment, *Geochimica et Cosmochimica Acta* 53, 2001-2009.
- Peakman, T. M., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1989) Organic geochemical evidence for series of C₂₅-C₂₈sulphur containing lipids comprising regular and irregular isoprenoid and unusual linearly extended phytane skeletons., *Journal of the Chemical Society - Chemical Communications*, 1105-1107.
- Peakman, T. M., Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1989) The identification and geochemical significance of a second series of alkylthiophenes comprising a linearly extended phytane in sediments and oils, *Geochimica et Cosmochimica Acta* 53, 3317-3322.
- Nip, M., **de Leeuw, J. W.**, Schenck, P. A., Windig, W., Meuzelaar, H. L. C., and Crelling, J. C. (1989) A flash pyrolysis and petrographic study of cutinite from the Indiana paper coal., *Geochimica et Cosmochimica Acta* 53, 671-683.
- Moers, M. E. C., Boon, J. J., and **de Leeuw, J. W.** (1989) Carbohydrate speciation and PY-MS mapping of peat samples from a subtropical open marsh environment., *Geochimica et Cosmochimica Acta* 53, 2011-2021.
- Kohnen, M. E. L., Sinninghe Damsté, J. S., ten Haven, H. L., and **de Leeuw, J. W.** (1989) Early incorporation of polysulphides in sedimentary organic matter, *Nature* 341, 640-641.
- Kern, H. W., Haider, K., Pool, W., and **de Leeuw, J. W.** (1989) Comparison of the action of *Phanerochaete chrysosporium* and its extracellular enzyme (lignin peroxidases) on lignin prepares., *Holzforschung* 43, 375-384.
- Goossens, H., Düren, R. R., **de Leeuw, J. W.**, and Schenck, P. A. (1989) Lipids and their mode of occurrence in bacteria and sediments---II. Lipids in the sediment of a stratified, freshwater lake., *Organic Geochemistry* 14, 27-41.
- Goossens, H., **de Leeuw, J. W.**, Rijpstra, W. I. C., Meyburg, G. J., and Schenck, P. A. (1989) Lipids and their mode of occurrence in bacteria and sediments--I. A methodological study of the lipid composition of *Acinetobacter calcoaceticus* LMD 79-41., *Organic Geochemistry* 14, 15-25.
- Fredrickson, H. L., Rijpstra, W. I. C., Tas, A. C., van der Greef, J., LaVos, G. F., and **de Leeuw, J. W.** (1989) Chemical characterizations of benthic microbial assemblages., In *Microbial Mats: Physiological ecology of benthic microbial communities*. (Cohen, Y., and Rosenberg, E., Eds.), pp 455-468, American Society for Microbiology, Washington.

- Fredrickson, H. L., **de Leeuw, J. W.**, Tas, A. C., van der Greef, J., LaVos, G. F., and Boon, J. J. (1989) Fast Atom bombardment (tandem) mass spectrometric analysis of intact polar ether lipids extractable from the extremely halophilic Archaeabacteum *Halobacterium cutirubrum*., *Biomedical and Environmental Mass Spectrometry* 18, 96-105.
- de Leeuw, J. W.**, Cox, H. C., van Graas, G., van de Meer, F. W., Peakman, T. M., Baas, J. M. A., and van de Graaf, B. (1989) Limited double bond isomerisation and selective hydrogenation of sterenes during early diagenesis, *Geochimica et Cosmochimica Acta* 53, 903-909.
- de Leeuw, J. W.** (1989) Conference Report, 1989 Gordon Research Conference on Analytical Pyrolysis, *Journal of Analytical and Applied Pyrolysis* 16, 377-378.

1988

- ten Haven, H. L., Rullkötter, J., **de Leeuw, J. W.**, and Sinninghe Damsté, J. S. (1988) Pristane phytane ratio as environmental indicator, *Nature* 333, 604-604.
- ten Haven, H. L., **de Leeuw, J. W.**, Sinninghe Damsté, J. S., Schenck, P. A., Palmer, S. E., and Zumberge, J. E. (1988) Application of biological markers in the recognition of palaeo- hypersaline environments., In *Lacustrine Petroleum Source Rocks*. 40 ed., pp 123-130, Geological Society Special Publication, Blackwell.
- ten Haven, H. L., **de Leeuw, J. W.**, Schenck, P. A., and Klaver, G. T. (1988) Geochemistry of Mediterranean sediments. Bromine/organic carbon and uranium/organic carbon ratios as indicators for different sources of input and post-depositional oxidation, respectively, *Organic Geochemistry* 13, 255-261.
- Sinninghe Damsté, J. S., Kock-van Dalen, A. C., **de Leeuw, J. W.**, and Schenck, P. A. (1988) Identification of homologous series of alkylated thiophenes, thiolanes, thianes and benzothiophenes present in pyrolysates of sulfur-rich kerogens, *Journal of Chromatography* 435, 435-452.
- Sinninghe Damsté, J. S., Kock-van Dalen, A. C., and **de Leeuw, J. W.** (1988) Identification of long-chain Isoprenoid alkylbenzenes in sediments and crude oils, *Geochimica et Cosmochimica Acta* 52, 2671-2677.
- Nip, M., **de Leeuw, J. W.**, and Schenck, P. A. (1988) The characterization of eight maceral concentrates by means of Curie point pyrolysis-gas chromatography and Curie point pyrolysis-gas chromatography-mass spectrometry., *Geochim. Cosmochim. Acta* 52, 637-648.
- Nip, M., **de Leeuw, J. W.**, and Schenck, P. A. (1988) Characteristics of insoluble organic matter of Messel Oil Shale as indicators of diagenesis and palaeoenvironment., *Cour. Forsch. -Inst. Senckenberg* 107, 29-36.
- Muyzer, G., de Bruyn, J. C., Guit, R. P. M., Comans, R., Nip, M., **de Leeuw, J. W.**, Westbroek, P., and Bos, P. (1988) How important is Thiobacillus ferrooxidans in the microbial desulphurization of coal? Detection of *T. ferrooxidans* in coal with immunological and Py/Ev-GC-MS techniques, In *Processing and Utilization of High Sulphur Coals II*, pp 264-270, Elsevier Science Publishing Comp.Inc., Amsterdam.
- Moers, M. E. C., **de Leeuw, J. W.**, Cox, H. C., and Schenck, P. A. (1988) Interaction of glucose and cellulose with hydrogen sulphide and polysulphides, *Org. Geochem* 13, 1087-1091.
- Kruk, C., Cox, H. C., and **de Leeuw, J. W.** (1988) Assignments of the ¹H and ¹³C NMR resonances of cadinanes and bicadinanes by means of two-dimensional shift-correlated NMR techniques., *Magnetic Resonance in Chemistry* 26, 228-235.
- Klok, J., Baas, M., Cox, H. C., **de Leeuw, J. W.**, Rijpstra, W. I. C., and Schenck, P. A. (1988) The mode of occurrence of lipids in a Namibian Shelf diatomaceous ooze. Significance of the β-hydroxy fatty acids., *Org. Geochem* 12, 75-80.
- Goth, K., **de Leeuw, J. W.**, Püttmann, W., and Tegelaar, E. W. (1988) Origin of Messel Oil Shale kerogen., *Nature* 336, 759-761.

- Goossens, H., Due, A., **de Leeuw, J. W.**, van de Graaf, B., and Schenck, P. A. (1988) The Pristane Formation Index, a new molecular maturity parameter. a simple method to assess maturity by pyrolysis/evaporation-gas chromatography of unexpected samples, *Geochimica et Cosmochimica Acta* 52, 1189-1193.
- Goossens, H., de Lange, F., **de Leeuw, J. W.**, and Schenck, P. A. (1988) The Pristane formation index, a molecular maturity parameter. Confirmation in samples from the Paris Basin, *Geochimica et Cosmochimica Acta* 52, 2439-2444.
- Fredrickson, H. L., Cappenberg, T. E., and **de Leeuw, J. W.** (1988) Relative rates of lipid synthesis from [14C] acetate and [14C] lactate in the surface sediments of a small monomictic lake in relation to seasonal changes in the sedimentary distribution of polar lipid fatty acids., *Arch. Hydrobiol. Beih. Ergeb. Limn. (Advances in Limnology)* 31, 35-42.
- Derenne, S., Largeau, C., Casadevall, E., Tegelaar, E. W., and **de Leeuw, J. W.** (1988) Relationships between algal coals and resistant cellwall biopolymers of extant algae as revealed by Py-GC-MS, *Fuel Processing Technology* 20, 93-101.
- de Leeuw, J. W.** (1988) Molecular Fossils. Lipids as indicators for sources of input and short-term diagenesis., *Stuifmail* 5, 18-29.
- Bracewell, J. M., Abbt-Braun, G., **de Leeuw, J. W.**, Hayes, M. H. B., Nimz, H. H., Norwood, D. L., Perdue, E. M., Schnitzer, M., Visser, S. A., Wilson, M. A., and ziechman, W. (1988) The Characterization and Validity of Structural Hypotheses. Group Report., In *Humic Substances and their role in the Environment.*, pp 150-164, Wiley, Chichester.

1987

- ten Haven, H. L., **de Leeuw, J. W.**, Rullkötter, J., and Sinninghe Damsté, J. S. (1987) Restricted utility of the pristane/phytane ratio as a palaeoenvironmental indicator, *Nature* 330, 641-643.
- ten Haven, H. L., Baas, M., Kroot, M., **de Leeuw, J. W.**, Schenck, P. A., and Ebbing, J. (1987) Late Quaternary Mediterranean sapropels. III: Assessment of source of input and palaeotemperature as derives from biological markers, *Geochimica et Cosmochimica Acta* 51, 803-810.
- ten Haven, H. L., Baas, M., **de Leeuw, J. W.**, Schenck, P. A., and Brinkhuis, H. (1987) Late Quaternary Mediterranean sapropels II. Organic geochemistry and palynology of SI sapropels and associated sediments., *Chem. Geol* 64, 149-167.
- ten Haven, H. L., Baas, M., **de Leeuw, J. W.**, and Schenck, P. A. (1987) Late Quaternary Mediterranean sapropels I. On the origin of organic matter in sapropel S7., *Marine Geology* 75, 137-156.
- ten Haven, H. L., Baas, M., **de Leeuw, J. W.**, Maassen, J. M., and Schenck, P. A. (1987) Organic geochemical characteristics of sediments from anoxic brine-filled Tyro Basin (Eastern Mediterranean). *Org. Geochem* 11, 605-611.
- Sinninghe Damsté, J. S., Rijpstra, W. I. C., **de Leeuw, J. W.**, and Schenck, P. A. (1987) Origin of organic sulphur compounds and sulphur-containing high molecular weight substances in sediments and immature crude oils, *Org. Geochem* 13, 593-606.
- Sinninghe Damsté, J. S., Kock-van Dalen, A. C., **de Leeuw, J. W.**, Schenck, P. A., Guoying, S., and Brassell, S. C. (1987) The identification of mono-,di- and trimethyl 2-methyl-2-(4,8,12-trimethyltridecyl)chromans and their occurrence in the geosphere, *Geochimica et Cosmochimica Acta* 51, 2393-2400.
- Sinninghe Damsté, J. S., Kock-van Dalen, A. C., **de Leeuw, J. W.**, and Schenck, P. A. (1987) The identification of 2,3-dimethyl-5-(2,6,10-trimethylundecyl) thiophene, a novel sulphur containing biological marker., *Tetrahedron Letters* 28, 957-960.
- Sinninghe Damsté, J. S., **de Leeuw, J. W.**, Kock-van Dalen, A. C., de Zeeuw, M. A., de Lange, F., Rijpstra, W. I. C., and Schenck, P. A. (1987) The occurrence and identification of series of organic sulphur

- compounds in oils and sediment extracts. I. A study of Rozel Point Oil (USA). *Geochimica et Cosmochimica Acta* 51, 2369-2391.
- Sinninghe Damsté, J. S., and **de Leeuw, J. W.** (1987) The origin and fate of isoprenoid C₂₀ and C₁₅ sulphur compounds in sediments and oils, *International Journal of Environmental Analytical Chemistry* 28, 1-19.
- Saiz-Jimenez, C., **de Leeuw, J. W.**, and Gomez-Alarcon, G. (1987) Sludge from the waste water of the olive processing industry: a potential soil fertilizer?, *Sci. Total Environ* 62, 445-452.
- Saiz-Jimenez, C., and **de Leeuw, J. W.** (1987) Chemical structure of a soil humic-acid as revealed by analytical pyrolysis, *Journal of Analytical and Applied Pyrolysis* 11, 367-376.
- Saiz-Jimenez, C., and **de Leeuw, J. W.** (1987) Nature of plant components identified in soil humic acids., *Sci. Total Environ* 62, 115-119.
- Saiz-Jimenez, C., Boon, J. J., Hedges, J., Hessels, J. K. C., and **de Leeuw, J. W.** (1987) Chemical characterization of recent and buried woods by analytical pyrolysis. Comparison of pyrolysis data with ¹³C NMR and wet chemical data., *Journal of Analytical and Applied Pyrolysis* 11, 437-450.
- Ryan, N. J., Given, P. H., Boon, J. J., and **de Leeuw, J. W.** (1987) Study of the fate of plant polymers in peats by curie-point pyrolysis., *International Journal of Coal Geology* 8, 85-98.
- Nip, M., Genuit, W., Boon, J. J., **de Leeuw, J. W.**, Schenck, P. A., Blazso, M., and Szekely, T. (1987) Chemical characterization of Hungarian brown coals by curie-point pyrolysis low-energy electron-impact mass-spectrometry and multivariate-analysis and by curie-point pyrolysis-gas chromatography photoionization mass-spectrometry, *Journal of Analytical and Applied Pyrolysis* 11, 125-147.
- Nip, M., **de Leeuw, J. W.**, and Schenck, P. A. (1987) Structural characterization of coals, coal macerals and their precursors by pyrolysis-gas chromatography and pyrolysis-gas chromatography-mass spectrometry., In 1987 *International conference on Coal Science and Technology* (Moulijn, J. A., Ed.), pp 89-92, Elsevier Science Publishers B.V., Amsterdam.
- Nip, M., **de Leeuw, J. W.**, Holloway, P. J., Jensen, J. P. T., Sprenkels, J. C. M., de Pooter, M., and Sleectx, J. J. M. (1987) Comparison of flash pyrolysis, DSC, ¹³C-NMR and IR in the analysis of a biopolymer from plant cuticles., *Journal of Analytical and Applied Pyrolysis* 11, 287-295.
- Hans, F., **de Leeuw, J. W.**, and Saiz-Jimenez, C. (1987) Estudio de los sedimentos y la mateia particulada de la laguna de Santa Ollalla mediante pirolisis analitica., *Limnetica* 3, 291-298.
- Guoying, S., Jiamo, F., Brassell, S. C., Gowar, A. P., Eglinton, G., Sinninghe Damsté, J. S., **de Leeuw, J. W.**, and Schenck, P. A. (1987) Sulphur-containing compounds in sulphur-rich crude oils from hypersaline lake sediments and their geochemical implications., *Geochemistry* 6, 115-126.
- Erba, E., Rodondi, G., Parisi, E., ten Haven, H. L., Nip, M., and **de Leeuw, J. W.** (1987) Gelatinous pellicles in deep anoxic hypersaline basins from the Eastern Mediterranean., *Marine Geology* 75, 165-183.
- Boudou, J.-P., Boulègue, J., Maléchaux, L., Nip, M., **de Leeuw, J. W.**, and Boon, J. J. (1987) Identification of some sulphur species in a high organic sulphur coal., *Fuel* 66, 1558-1569.
- Boon, J. J., and **de Leeuw, J. W.** (1987) Amino acid sequence information in proteins and complex proteinaceous material revealed by pyrolysis-capillary gas chromatography-low and high resolution mass spectrometry., *Journal of Analytical and Applied Pyrolysis* 11, 313-327.
- Boon, J. J., and **de Leeuw, J. W.** (1987) Organic geochemical aspects of cyanobacterial mats., In *Cyanobacteria: current research*, pp 471-492, Elsevier, Amsterdam.

1986

- ten Haven, H. L., **de Leeuw, J. W.**, Peakman, T. M., and Maxwell, J. R. (1986) Anomalies in steroid and hopanoid maturity indices., *Geochimica et Cosmochimica Acta* 50, 853-855.

- Sinninghe Damsté, J. S., ten Haven, H. L., **de Leeuw, J. W.**, and Schenck, P. A. (1986) Organic geochemical studies of a Messinian evaporitic basin, Northern Apennines (Italy) II. Isoprenoid and *n*-alkyl thiophenes and thiolanes., In *Advances in Organic Geochemistry, 1985* (Leythaeuser, D., and Rullkötter, J., Eds.), pp 791-805, Pergamon Journals, Oxford.
- Saiz-Jimenez, C., Gómez-Alarcón, G., and **de Leeuw, J. W.** (1986) Chemical properties of the polymer isolated in fresh vegetation water and sludge evaporation ponds., In *Int. Symp.on olive by-products valorization*, pp 41-60.
- Saiz-Jimenez, C., and **de Leeuw, J. W.** (1986) Comparative studies of soil humic acids and fungal melanins by pyrolysis-gas chromatography-mass spectrometry., In *Volunteered Papers 2nd Intern. Conf. IHHS* (Hayes, M. H. B., MacCarthy, P., Malcolm, R. L., and Swift, R. S., Eds.), pp 149-150, Wiley, Chichester.
- Saiz-Jimenez, C., and **de Leeuw, J. W.** (1986) Lignin pyrolysis products: Their structures and their significance as biomarkers., In *Advances in Organic Geochemistry, 1985* (Leythaeuser, D., and Rullkötter, J., Eds.) 10 ed., pp 869-876.
- Saiz-Jimenez, C., and **de Leeuw, J. W.** (1986) Chemical characterization of soil organic matter fractions by analytical pyrolysis-gas chromatography-mass spectrometry., *Journal of Analytical and Applied Pyrolysis* 9, 99-119.
- Nip, M., Tegelaar, E. W., Brinkhuis, H., **de Leeuw, J. W.**, Schenck, P. A., and Holloway, P. J. (1986) Analysis of modern and fossil plant cuticles by Curie point Py-GC and Curie point Py-GC-MS: recognition of a new highly aliphatic and resistant biopolymer., *Org Geochem* 10, 769-778.
- Nip, M., Tegelaar, E., **de Leeuw, J. W.**, Schenck, P. A., and Holloway, P. J. (1986) A new highly aliphatic and resistant biopolymer in plant cuticles: evidence from analytical pyrolysis and ¹³C-NMR of present day and fossil plants., *Naturwissenschaften* 73, 579-585.
- Goossens, H., Rijpstra, W. I. C., Düren, R. R., **de Leeuw, J. W.**, and Schenck, P. A. (1986) Bacterial contribution to sedimentary organic matter; a comparative study of lipid moieties in bacteria and recent sediments., *Org. Geochem* 10, 683-696.
- Fredrickson, H. L., Cappenberg, T. E., and **de Leeuw, J. W.** (1986) Polar lipid ester-linked fatty acid composition of Lake Vechten seston: an ecological application of lipid analysis, *Fems Microbiology Ecology* 38, 381-396.
- de Leeuw, J. W.**, de Leer, E. W. B., Sinninghe Damsté, J. S., and Schuyl, P. J. W. (1986) Screening of anthropogenic compounds in polluted sediments and soils by flash evaporation/pyrolysis gas chromatography-mass spectrometry, *Analytical Chemistry* 58, 1852-1857.
- de Leeuw, J. W.**, and Baas, M. (1986) Early-stage diagenesis of steroids., In *Biological Markers in the sedimentary records*, pp 101-123, Elsevier, Amsterdam.
- de Leeuw, J. W.** (1986) Higher molecular weight markers., In *Biological Markers in the sedimentary records*, pp 249-260, Elsevier, Amsterdam.
- de Leeuw, J. W.** (1986) Sedimentary lipids and polysaccharides as indicators for sources of input, for microbial activity and short term diagenesis., In *Organic Marine Geochemistry* 305 ed., pp 33-61, ACS, Washington, DC.
- de Leer, E. W. B., Baas, M., Erkelens, C., Hoogwater, D. A., **de Leeuw, J. W.**, Schuyl, P. J. W., de Leur, L. C., and Graat, J. W. (1986) Thermal cleaning of soil contaminated with cyanide wastes from former coal gasification plants., In *Proceedings Int. Conf. in New Frontiers for Hazardous Waste Management*, pp 258-265, EPA/600/9-85/625.
- Crisp, P. T., Ellis, J., **de Leeuw, J. W.**, and Schenck, P. A. (1986) Flash thermal desorption as an alternative to solvent extraction for the determination of C₈-C₃₅ hydrocarbons in oil shales., *Anal. Chem* 58, 258-261.

- Cox, H. C., **de Leeuw, J. W.**, Schenck, P. A., van Koningsveld, H., Jansen, J. C., van de Graaf, B., van Geerestein, V. J., Kanters, J. A., Kruk, C., and Jans, A. W. H. (1986) Bicadinane, a C₃₀ pentacyclic isoprenoid hydrocarbon found in crude oil., *Nature* 319, 316-318.
- Brassell, S. C., Lewis, C. A., **de Leeuw, J. W.**, de Lange, F., and Sinnenhe Damsté, J. S. (1986) Isoprenoid thiophenes: novel products of sediment diagenesis?, *Nature* 320, 160-162.
- Boon, J. J., Dupont, L., and **de Leeuw, J. W.** (1986) Characterisation of a peat bog profile by Curie point pyrolysis mass spectrometry and high resolution gas chromatography mass spectrometry., In *Peat and Water*, pp 215-239, Elsevier, Amsterdam.

1985

- van de Meent, D., **de Leeuw, J. W.**, Schenck, P. A., and Salomons, W. (1985) Geochemistry of suspended particulate matter in two natural sedimentation basins of the River Rhine., *Water Research* 19, 1333-1340.
- ten Haven, H. L., **de Leeuw, J. W.**, and Schenck, P. A. (1985) Organic geochemical studies of a Messinian evaporitic basin, Northern Apennines (Italy) I : Hydrocarbon biological markers for a hypersaline environment., *Geochimica et Cosmochimica Acta* 49, 2181-2191.
- Nip, M., **de Leeuw, J. W.**, Schenck, P. A., Meuzelaar, H. L. C., Stout, S. A., Given, P. H., and Boon, J. J. (1985) Curiepoint pyrolysis mass spectrometry, Curie-point pyrolysis-gas- chromatography-mass spectrometry and fluorescence microscopy as analytical tools for the characterization of two uncommon lignites., *Journal of Analytical and Applied Pyrolysis* 8, 221-239.
- Harvey, G. R., Sinnenhe Damsté, J. S., and **de Leeuw, J. W.** (1985) On the origin of alkylbenzenes in geochemical samples., *Marine Chemistry* 16, 187-188.
- de Leeuw, J. W.**, Sinnenhe Damsté, J. S., Klok, J., Schenck, P. A., and Boon, J. J. (1985) Biogeochemistry of Gavish Sabkha sediments. I. Studies on neutral reducing sugars and lipid moieties by gas chromatography-mass spectrometry., In *Hypersaline ecosystems*, pp 350-367, Springer-Verlag, Heidelberg.
- Boon, J. J., **de Leeuw, J. W.**, and Krumbein, W. E. (1985) Biogeochemistry of Gavish Sabkha Sediments. II. Pyrolysis mass spectrometry of laminated microbial mat in the permanently water-covered zone before and after the desert sheetflood of 1979, In *Ecological Studies, Vol.53: Hypersaline Ecosystems*, pp 368-380, Springer- Verlag, Berlin Heidelberg.

1984

- van der Kaaden, A., Boon, J. J., **de Leeuw, J. W.**, de Lange, F., Schuyl, P. J. W., Schulten, H. R., and Bahr, U. (1984) Comparison of analytical pyrolysis techniques in the characterization of chitin, *Analytical Chemistry* 56, 2160-2165.
- Saliot, A., Ulloa-Guevara, A., Viets, T. C., **de Leeuw, J. W.**, Schenck, P. A., and Boon, J. J. (1984) The application of pyrolysis-mass spectrometry and pyrolysis-gas chromatography-mass spectrometry to the chemical characterization of suspended matter in the ocean., *Org. Geochem* 6, 295-304.
- Saiz-Jimenez, C., and **de Leeuw, J. W.** (1984) Pyrolysis-gas chromatography-mass spectrometry of soil poly-saccharides, soil fulvic acids and polymaleic acid., *Org. Geochem* 6, 287-293.
- Saiz-Jimenez, C., and **de Leeuw, J. W.** (1984) Pyrolysis-gas chromatography-mass spectrometry of isolated, synthetic and degraded lignins, *Org. Geochem* 6, 417-422.
- Nichols, P. D., Jones, G. J., **de Leeuw, J. W.**, and Johns, R. B. (1984) The fatty acid and sterol components of two marine dinoflagellates, *Phytochemistry* 23, 1043-1047.
- Klok, J., Cox, H. C., Baas, M., Schuyl, P. J. W., **de Leeuw, J. W.**, and Schenck, P. A. (1984) Carbohydrates in recent marine sediments-I. Origin and significance of deoxy- and O-methyl-monosaccharides., *Org. Geochem* 7, 73-84.

- Klok, J., Cox, H. C., Baas, M., **de Leeuw, J. W.**, and Schenck, P. A. (1984) Carbohydrates in recent marine sediments- II. Occurrence and fate of carbohydrates in a recent stromatolitic deposit: Solar Lake, Sinai., *Org. Geochem* 7, 101-109.
- Klok, J., Baas, M., Cox, H. C., **de Leeuw, J. W.**, and Schenck, P. A. (1984) Loliolides and dihydroactinidiolide in a Recent marine sediment probably indicate a major transformation pathway of carotenoids, *Tetrahedron Letters* 25, 5577-5580.
- Klok, J., Baas, M., Cox, H. C., **de Leeuw, J. W.**, Rijpstra, W. I. C., and Schenck, P. A. (1984) Qualitative and quantitative characterization of the total organic matter in a recent marine sediment (Part II). *Org. Geochem* 6, 265-278.
- Goossens, H., **de Leeuw, J. W.**, Schenck, P. A., and Brassell, S. C. (1984) Tocopherols as likely precursors of pristane in ancient sediments and crude oils., *Nature* 312, 440-442.
- de Vlieger, J. J., **de Leeuw, J. W.**, Kieboom, A. P. G., and van Bekkum, H. (1984) Coal liquefaction - entrapment of bitetracyclic and other products from tetralin, *Recueil des Travaux Chimiques des Pays-Bas-Journal of the Royal Netherlands Chemical Society* 103, 203-203.
- Chaffee, A. L., Johns, R. B., Baerken, M. J., **de Leeuw, J. W.**, Schenck, P. A., and Boon, J. J. (1984) Chemical effects in gelification processes and lithotype formation in Victorian brown coal, *Org. Geochem* 6, 409-416.
- Boon, J. J., **de Leeuw, J. W.**, Rubinstein, Y., Aizenshtat, Z., Ioselis, P., and Ikan, R. (1984) Thermal evaluation of some model melanoidins by Curie point pyrolysis-mass spectrometry and gas chromatography-mass spectrometry., *Org. Geochem* 6, 805-811.

1983

- van Graas, G., Viets, T. C., **de Leeuw, J. W.**, and Schenck, P. A. (1983) A study of the soluble and insoluble organic matter from the Livello Bonarelli, a Cretaceous black shale deposit in the Central Apennines, Italy, *Geochimica et Cosmochimica Acta* 47, 1051-1059.
- van Graas, G., Viets, T. C., **de Leeuw, J. W.**, and Schenck, P. A. (1983) Origin of the organic matter in a Cretaceous "Black Shale" deposit in the central Apennines (Italy). In *Advances in Organic Geochemistry 1981* (Bjørø, M., Ed.), pp 471-476, Wiley&Sons, London.
- van der Kaaden, A., Haverkamp, J., Boon, J. J., and **de Leeuw, J. W.** (1983) Analytical pyrolysis of carbohydrates. I. Chemical interpretation of matrix influences on pyrolysis-mass spectra of amylose using pyrolysis-gas chromatography-mass spectrometry., *Journal of Analytical and Applied Pyrolysis* 5, 199-220.
- van de Meent, D., Los, A., **de Leeuw, J. W.**, Schenck, P. A., and Haverkamp, J. (1983) Size-fractionation and Analytical Pyrolysis of Suspended particles from the River Rhine Delta., In *Advances in Organic Geochemistry, 1981* (Bjørø, M., Ed.), pp 336-349, John Wiley, London.
- Schenck, P. A., **de Leeuw, J. W.**, Viets, T. C., and Haverkamp, J. (1983) Pyrolysis-mass spectrometry in coal chemistry: a study of the coalification of vitrites and the typification of Australian brown coals., In *Petroleum geochemistry and exploration of Europe* (Brooks, J., Ed.), pp 267-274, Blackwell Scientific Publ., Blackwell.
- Klok, J., van der Knaap, J. M. M., **de Leeuw, J. W.**, Cox, H. C., and Schenck, P. A. (1983) Qualitative and quantitative characterization of the total organic matter in a recent marine sediment., *Advances in Organic Geochemistry 1981*, 813-818.
- de Leeuw, J. W.**, Rijpstra, W. I. C., Schenck, P. A., and Volkman, J. (1983) Free, esterified and residual sterols in Black Sea Unit I sediments., *Geochimica et Cosmochimica Acta* 47, 455-465.

1982

- van Graas, G., de Lange, F., **de Leeuw, J. W.**, and Schenck, P. A. (1982) A-nor-steranes, a novel class of sedimentary hydrocarbons, *Nature* 296, 59-61.

- van Graas, G., de Lange, F., **de Leeuw, J. W.**, and Schenck, P. A. (1982) De-A-steroid ketones and de-A-aromatic steroid hydrocarbons in shale indicate a novel diagenetic pathway, *Nature* 299, 437-439.
- van Graas, G., Baas, J. M. A., van de Graaf, B., and **de Leeuw, J. W.** (1982) Theoretical organic geochemistry I. The thermodynamic stability of several cholestan e isomers calculated by molecular mechanics., *Geochim. Cosmochim. Acta* 46, 2399-2402.
- van de Meent, D., **de Leeuw, J. W.**, Schenck, P. A., Windig, W., and Haverkamp, J. (1982) Quantitative analysis of biopolymer mixtures by pyrolysis-mass spectrometry., *Journal of Analytical and Applied Pyrolysis* 4, 133-142.
- Schenck, P. A., **de Leeuw, J. W.**, van Graas, G., Haverkamp, J., and Viets, T. C. (1982) Pyrolysis GC-MS studies of coals and coal macerals, *Journal of Petroleum Geology* 5, 214-214.
- Schenck, P. A., and **de Leeuw, J. W.** (1982) Molecular organic geochemistry., In *Handbook of Environmental Chemistry, Vol. I/Part B* (Hutzinger, O., Ed.), pp 111-129, Springer Verlag, Berlin, Heidelberg.
- Klok, J., Cox, H. C., **de Leeuw, J. W.**, and Schenck, P. A. (1982) Analysis of synthetic mixtures of partially methylated alditol acetates by capillary gas chromatography, gas chromatography-electron impact mass spectrometry and gas chromatography-chemical ionization mass spectrometry, *Journal of Chromatography* 253, 55-64.
- Boon, J. J., and **de Leeuw, J. W.** (1982) Early stromatolite lithification-organic chemical aspects., In *Biomineralization and Biological Metal Accumulation* (Westbroek, P., and de Jong, E. W., Eds.), pp 327-334, D. Reidel Publ. Comp.

1981

- van Graas, G., **de Leeuw, J. W.**, Schenck, P. A., and Haverkamp, J. (1981) Kerogen of Toarcian shales of the Paris Basin. A study of its maturation by flash pyrolysis techniques., *Geochimica et Cosmochimica Acta* 45, 2465-2474.
- van de Meent, D., Los, A., **de Leeuw, J. W.**, Schenck, P. A., and Salomons, W. (1981) Stability constants and binding capacities of fractionated suspended matter for cadmium., *Environ. Technol. Lett* 2, 569-578.
- Schenck, P. A., **de Leeuw, J. W.**, van Graas, G., Haverkamp, J., and Bouman, M. (1981) Analysis of recent spores and pollen and of thermally altered sporopollenin by flash pyrolysis-mass spectrometry and flash pyrolysis-gas chromatography-mass spectrometry., In *Organic Maturation Studies and Fossil Fuel Exploration* (Brooks, J., Ed.), pp 225-237, Academic Press, London.
- Klok, J., Nieberg-van Velzen, E. H., **de Leeuw, J. W.**, and Schenck, P. A. (1981) Capillary gaschromatography separation of monosaccharides as their alditol acetates., *J. Chromatogr* 207, 273-275.
- de Leeuw, J. W.**, Rijpstra, W. I. C., and Schenck, P. A. (1981) The occurrence and identification of C₃₀, C₃₁ and C₃₂ alkan 1,15-diols and alkan 15-one 1-ols in Unit I and Unit II Black Sea sediments., *Geochimica et Cosmochimica Acta* 45, 2281-2285.
- Boon, J. J., Hines, H., Burlingame, A. L., Klok, J., Rijpstra, W. I. C., **de Leeuw, J. W.**, Edmunds, K. E., and Eglinton, G. (1981) Organic geochemical studies of Solar Lake laminated cyanobacterial sediments., In *Advances in Organic Geochemistry*, pp 207-221, John Wiley & sons Limited, 1983.

1980

- van Graas, G., **de Leeuw, J. W.**, and Schenck, P. A. (1980) Analysis of coal of different rank by Curie-point pyrolysis-mass spectrometry and Curie-point pyrolysis -gas chromatography-mass spectrometry, In *Advances in Organic Geochemistry 1979* (Douglas, A. G., and Maxwell , J. R., Eds.), pp 485-493, Pergamon, London.

- van Graas, G., **de Leeuw, J. W.**, and Schenck, P. A. (1980) Characterization of coals and sedimentary organic matter by Curie-point pyrolysis- mass spectrometry. Part I, *Journal of Analytical and Applied Pyrolysis* 2, 265-276.
- van der Meide, P. H., Westbroek, P., de Jong, E. W., and **de Leeuw, J. W.** (1980) Characterization of macromolecules from fossil shells by immunology and curie-Point pyrolysis mass spectrometry, In *The Mechanisms of Biomineralization in Animals and Plants* (Omori, M., and Watabe, N., Eds.), pp 251-256, Tokai University Press, Tokyo.
- van de Meent, E. J., **de Leeuw, J. W.**, and Schenck, P. A. (1980) Origin of unsaturated isoprenoid hydrocarbons in pyrolysates of suspended matter and surface sediments, In *Advances in Organic Geochemistry* (Douglas, A. G., and Maxwell , J. R., Eds.) Advances in Organic Geochemistry 1979 ed., pp 469-474, Pergamon, Oxford.
- van de Meent, D., **de Leeuw, J. W.**, and Schenck, P. A. (1980) Origin of unsaturated isoprenoid hydrocarbons in pyrolysates of suspended matter and surface sediments., In *Advances in Organic Geochemistry*, 1979 (Douglas, M., Ed.), pp 469-474, Pergamon, London.
- van de Meent, D., **de Leeuw, J. W.**, and Schenck, P. A. (1980) Chemical Characterization of non-volatile organics in suspended matter and sediments of the river Rhine delta., *Journal of Analytical and Applied Pyrolysis* 2, 249-263.
- de Leeuw, J. W.**, van de Meer, F. W., Rijpstra, W. I. C., and Schenck, P. A. (1980) On the occurrence and structural identification of long chain unsaturated ketones and hydrocarbons in sediments., In *Advances in Organic Geochemistry*, pp 211-217, Pergamon Press, Oxford.
- Boon, J. J., Rijpstra, W. I. C., **de Leeuw, J. W.**, and Burlingame, A. L. (1980) The occurrence of triglycerides in Namibian Shelf diatomaceous ooze., *Geochimica et Cosmochimica Acta* 44, 131-134.

1979

- Westbroek, P., van der Meide, P. H., van der Wey-Kloppers, J. S., van der Sluis, R. J., **de Leeuw, J. W.**, and de Jong, E. W. (1979) Fossil macromolecules from cephalopod shells: characterization, immunological response and diagenesis, *Paleobiology* 5, 151-167.
- Wakeham, S. G., Schaffner, C., Giger, W., Boon, J. J., and **de Leeuw, J. W.** (1979) Perylene in sediments from the Namibian Shelf., *Geochimica et Cosmochimica Acta* 43, 1141-1144.
- van Graas, G., **de Leeuw, J. W.**, and Schenck, P. A. (1979) Analysis of coal of different rank by Curie-point pyrolysis-mass spectrometry and Curie-point pyrolysis -gas chromatography-mass spectrometry, In *Advances in Organic Geochemistry* (Douglas, A. G., and Maxwell , J. R., Eds.), pp 485-493, Pergamon, London.
- van de Meent, E. J., **de Leeuw, J. W.**, and Schenck, P. A. (1979) Origin of unsaturated isoprenoid hydrocarbons in pyrolysates of suspended matter and surface sediments, In *Advances in Organic Geochemistry* (Douglas, A. G., and Maxwell , J. R., Eds.) Advances in Organic Geochemistry 1979 ed., pp 469-474, Pergamon, Oxford.
- Liefkens, W., Boon, J. J., and **de Leeuw, J. W.** (1979) On the occurrence of alkyl- and alk-1-enyl-diacylglycerides in the Lugworm *Arenicola marina*, *Netherlands Journal of Sea Research* 13, 479-486.
- Larter, S. R., Solli, H., Douglas, A. G., de Lange, F., and **de Leeuw, J. W.** (1979) Occurrence and significance of prist-1-ene in kerogen pyrolysates., *Nature* 279, 405-408.
- de Leeuw, J. W.**, van de Meer, F. W., Rijpstra, W. I. C., and Schenck, P. A. (1979) On the occurrence and structural identification of long chain unsaturated ketones and hydrocarbons in sediments., In *Advances in Organic Geochemistry*, pp 211-217, Pergamon Press, Oxford.
- Boon, J. J., Rijpstra, W. I. C., de Lange, F., **de Leeuw, J. W.**, Yoshioka, M., and Shimizu, Y. (1979) Black sea sterol- a molecular fossil for dinoflagellate blooms., *Nature* 277, 125-127.

Boon, J. J., and **de Leeuw, J. W.** (1979) The analysis of wax esters, very long mid-chain ketones and sterol ethers isolated from Walvis Bay diatomaceous ooze, *Marine Chemistry* 7, 117-132.

1978

- Boon, J. J., van der Meer, F. W., Schuyl, P. J. W., **de Leeuw, J. W.**, Schenck, P. A., and Burlingame, A. L. (1978) Organic geochemical analysis of core samples from site 362, Walvis Ridge, DSDP Leg 40, In *Initial Reports of the Deep Sea Drilling Project, Walvis Ridge DSDP Leg 40, Supplement*, pp 627-637, U.S. Government Printing Office, Washington, D.C.
- Boon, J. J., Liefkens, W., Rijpstra, W. I. C., Baas, M., and **de Leeuw, J. W.** (1978) Fatty acids of *Desulfovibrio desulfuricans* as marker molecules in sedimentary environments., In *Environmental Biogeochemistry and Geomicrobiology, Volume I: The aquatic environment* (Krumbein, W. E., Ed.) 1 ed., pp 355-372, Ann Arbor, Michigan.
- Boon, J. J., **de Leeuw, J. W.**, and Burlingame, A. L. (1978) Organic geochemistry of Walvis Bay diatomaceous ooze-III. Structural analysis of the monoenoic and polycyclic fatty acids., *Geochimica et Cosmochimica Acta* 42, 631-644.

1977

- van den Berg, M. L. J., Mulder, G. J., **de Leeuw, J. W.**, and Schenck, P. A. (1977) Investigations into the structure of kerogen - I. Low temperature ozonolysis of Messel shale kerogen., *Geochim. Cosmochim. Acta* 41, 903-908.
- van de Meent, D., Maters, W. L., **de Leeuw, J. W.**, and Schenck, P. A. (1977) Formation of artefacts in sediments upon freeze drying., *Organic Geochemistry* 1, 7-9.
- Maters, W. L., van de Meent, D., Schuyl, P. J. W., **de Leeuw, J. W.**, Schenck, P. A., and Meuzelaar, H. L. C. (1977) Curie-Point pyrolysis in organic geochemistry, In *analytical Pyrolysis* (**de Leeuw, J. W.**, Ed.), pp 203-216, Elsevier Scientific Publishing Company, Amsterdam.
- de Leeuw, J. W.**, Maters, W. L., van de Meent, D., and Boon, J. J. (1977) Solvent-free and splitless injection method for open tubular columns., *Analytical Chemistry* 49, 1881-1884.
- Bos, R. H. G., **de Leeuw, J. W.**, and Boon, J. J. (1977) Development Cooperation: What in fact are we doing?, In *Bulletin Higher education and research in the Netherlands* (Wagenaar, K., Hagens, N., and Schott, P., Eds.), pp 4-11, NUFFIC.
- Bos, R. H. G., **de Leeuw, J. W.**, and Boon, J. J. (1977) Is de huidige wijze van ontwikkelingssamenwerking ecologisch verantwoord?, *Overzicht VI*, 1-13.
- Boon, J. J., van de Graaf, B., Schuyl, P. J. W., de Lange, F., and **de Leeuw, J. W.** (1977) The mass spectrometry of iso and anteiso monoenoic fatty acids., *Lipids* 12, 717-721.
- Boon, J. J., **de Leeuw, J. W.**, van der Hoek, G. J., and Vosjan, J. H. (1977) Significance and taxonomic value of iso and anteiso monoenoic fatty acids and branched β -hydroxy acids in *Desulfovibrio desulfuricans*, *Journal of Bacteriology* 129, 1183-1191.

1976

- Rijpstra, W. I. C., **de Leeuw, J. W.**, and Schenck, P. A. (1976) The action of borontrifluoride-methanol on isoprenoid alcohols., *Geochimica et Cosmochimica Acta* 40, 1289-1290.
- de Leeuw, J. W.**, Rijpstra, W. I. C., Boon, J. J., de Lange, F., and Schenck, P. A. (1976) The relationship between lipids from *Fontinalis antipyretica*, its detritus and the underlying sediment : the fate of waxesters and sterolesters., In *Interactions between sediments and fresh water*, pp 141-147, Junk, The Hague.
- Burlingame, A. L., Kimble, B. L., Scott, E. S., Wilson, D. M., Stasch, M. J., **de Leeuw, J. W.**, and Keith, L. H. (1976) The characterization of trace organic constituents in petroleum refinery wastewater by capillary gas chromatography/real time high resolution mass spectrometry -A preliminary

report., In *Identification and analysis of organic pollutants in water*. (Keith, L. H., Ed.), pp 586-624, Ann Arbor Science.

- Burlingame, A. L., Kimble, B. L., Scott, E. S., Walls, F. C., **de Leeuw, J. W.**, de Lappe, B. W., and Risebrough, R. W. (1976) The molecular nature and extreme complexity of trace organic constituents in southern California municipal wastewater effluents., In *Identification and analysis of organic pollutants in water* (Keith, L. H., Ed.), pp 557-585, Ann Arbor Science.
- Boon, J. J., **de Leeuw, J. W.**, and Schenck, P. A. (1976) 'Gidsmoleculen' in afzettingsmilieus., *Chemisch Weekblad* 72, 9-11.

1975

- van den Berg, M. L. J., **de Leeuw, J. W.**, and Schenck, P. A. (1975) Constitutional analysis of kerogens and lignite by ozonization., In *Advances in Organic Geochemistry, 1973* (Tissot, B., and Bienner, F., Eds.) 163 ed., pp 163-. Ed. Technip, Paris.
- de Leeuw, J. W.**, Simoneit, B. R., Boon, J. J., Rijpstra, W. I. C., de Lange, F., van de Leeden, J. C. W., Correia, V. A., Burlingame, A. L., and Schenck, P. A. (1975) Phytol derived compounds in the geosphere., In *Advances in Organic Geochemistry*, pp 61-79, Enadimsa, Madrid.
- Boon, J. J., Rijpstra, W. I. C., **de Leeuw, J. W.**, and Schenck, P. A. (1975) Phytenic acid in sediments, *Nature* 258, 414-416.
- Boon, J. J., **de Leeuw, J. W.**, and Schenck, P. A. (1975) Organic geochemistry of Walvis Bay diatomaceous ooze-I. Occurrence and significance of the fatty acids, *Geochimica et Cosmochimica Acta* 39, 1559-1565.
- Boon, J. J., de Lange, F., Schuyl, P. J. W., **de Leeuw, J. W.**, and Schenck, P. A. (1975) Organic geochemistry of Walvis Bay diatomaceous ooze. II Occurrence and significance of the hydroxy fatty acids, In *Advances in Organic Geochemistry* (Campos, R., and Goni, J., Eds.), pp 255-272, Enadimsa, Madrid.

1974

- van den Berg, M. L. J., and **de Leeuw, J. W.** (1974) Geologie in beweging / 12. Organische geochemie, *Intermediair* 10, 41-46.
- de Leeuw, J. W.**, van den Berg, M. L. J., and Schenck, P. A. (1974) Fytolderivaten in de geosfeer, *Chemisch Weekblad*, 1 November, 14.

1973

- de Leeuw, J. W.**, de Wwaard, E. R., Beetz, T., and Huisman, H. O. (1973) α,β -Unsaturated acetals 1 Synthesis and mechanism of formation, *Recueil Des Travaux Chimiques Des Pays-Bas-Journal of the Royal Netherlands Chemical Society* 92, 1047-1052.
- de Leeuw, J. W.**, de Waard, E. R., Foeken, P. F., and Huisman, H. O. (1973) Apparent conjugate reduction of some alpha-benzylthio and α -benzylsulfonyl substituted α,β -unsaturated cyclohexenones, *Tetrahedron Letters*, 2191-2194.
- de Leeuw, J. W.**, Correia, V. A., and Schenck, P. A. (1973) On the decomposition of phytol under simulated geological conditions and in the top-layer of natural sediments., In *Advances in Organic Geochemistry*, pp 164-178, Ed. Technip, Paris.

1968

- Roest, B. C., Veenland, J. U., De Boer, Th. J. and in part Lodewijk, E., and **de Leeuw, J.** (1968) Cyclization of geraniolene and competitive cyclization-cycloalkylation of some phenyl derivatives, *Tetrahedron* 24, 2155-2164.

